PCT


WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7: G11B 20/10	A2	 (11) International Publication Number: WO 00/21087 (43) International Publication Date: 13 April 2000 (13.04.00) 		
(21) International Application Number: PCT/. (22) International Filing Date: 7 October 1999	(74) Agent: NAKAJIMA, Shiro; 6F, Yodogawa 5-Bankan, 2-1 Toyosaki 3-chome, Kita-ku, Osaka-shi, Osaka 531-0072 (JP).			
(30) Priority Data: 10/286177 8 October 1998 (08.10.98 10/297159 19 October 1998 (19.10.9 10/297142 19 October 1998 (19.10.9 (71) Applicant: MATSUSHITA ELECTRIC INDUST LTD. [JP/JP]; 1006, OazaKadoma, Kadoma— 571–8501 (JP). (72) Inventors: TAGAWA, Kenji; 5–305, Myoukenzak Katano–shi, Osaka 576–0021 (JP). MINAMI, 2349–1, Kuruma, Higashiuracho, Tsuna–gu 656–2311 (JP). KOZUKA, Masayuki; Ishizuminamimachi, Neyagawa–shi, Osaka 572- AOYAMA, Shoichi; 24–301, Higashiyama Hirakata–shi, Osaka 573–1114 (JP). TOKUDA 5–15, Niina, Mino–shi, Osaka 562–0005 (JP). Noboru; 2–1–16–505, Mukaida, Katano–s 576–0065 (JP).	8) RIAL Coshi, Osa a 5-chorn Masatal in, Hyo 19-1-120 -0024 (Ji 2-chorn Katsun HIRAT	ka ne, na; go i7, >>). ne, ni; A,		

(54) Title: DEVICE AND METHOD FOR RECORDING, REPRODUCING AND PROCESSING DATA



(57) Abstract

A recording medium stores a retail content and a superdistribution content that is encrypted according to a block cryptosystem. A superdistribution header is attached to the superdistribution content and encrypted according to a public key cryptosystem. The superdistribution header contains a decryption key used to decrypt the block cryptosystem. The public key cryptosystem is characterized by using a device connected to a communication network for decryption. The decryption is performed when the recording medium is loaded into the device with a fee being charged via the communication network.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

				•			
AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Аппеліа	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑÜ	Australia	GA	Gabon	LV	Latvia	· SZ	Swaziland
ΑZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	ŢĴ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU .	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi ·	US	United States of America
CA	Canada ,	IT	Italy	MX	Mexico	· UZ	Uzbekistan
CF	Central African Republic	JР	Japan	NE-	Niger	VN	Viet Nam
CG	Солдо	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		Zimodowe
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		•
EE	Estonia	LR	Liberia	SG	Singapore		

DESCRIPTION

Title of Invention

DEVICE AND METHOD FOR RECORDING, REPRODUCING AND PROCESSING DATA

5

Technical Field

10

15

The present invention relates to a recording medium that stores a content (a digital production with copyright) such as music, a device that records a content onto a recording medium, a device that plays a content recorded on a recording medium, a device that produces a package by packaging a plurality of contents, a computer-readable recording medium, a recording method, a playback method, and a packaging method.

Background Art

20 First Background Technology

Recently, a great deal of discussion has taken place between major music companies, audio device manufacturers, and intellectuals about a next-generation format for distributing copyrighted music. At present, all forms of music, whether pop, rock, or classical, are sold having been recorded on a recording medium such as a CD (Compact Disc)

or a magnetic tape. This method whereby consumers obtain recorded music by buying a recording medium is commonplace throughout the world.

Much attention is currently being focused on electronic music distribution as an alternative to conventional forms of distribution that use a recording Electronic music distribution refers to the feebased delivery of a music "content" via the ever-expanding Internet. Here, a "content" refers to a copyrighted production in a digital form, so that a "music content" is music in a digital form. One characteristic of this electronic music distribution is that music contents can be ordered and paid for using electronic commerce. In detail, music companies can introduce a variety of music contents on their home pages, so that consumers can browse a variety of music contents by accessing the home pages of the music companies. On finding a desired music content, the consumer sends the necessary information, such as an order for the music content and a user ID, to a music company that runs the home page, and the music company charges the consumer for the music content via a bank account corresponding to a credit card number that the user has registered in advance. After the consumer has been charged, the consumer downloads the music content into his computer. In this way, a consumer can obtain a desired music content.

Electronic music distribution allows the consumer to interactively select the music contents to be downloaded.

5

10

15

20

This greatly facilitates the procedure by which consumers buy music and so can increase the sales of record companies. As one example, a record company can use a home page that introduces a popular new release to promote other related releases by the same artist and/or the same songwriter. Since there is a high probability of the consumer also being interested in these other releases, there is a good chance that the consumer will make further purchases.

5

10

15

20

25

At present, however, the required infrastructure for electronic music distribution has not been fully implemented, so that consumers face various difficulties in buying music electronically.

One fundamental requirement for the electronic distribution of music contents is the provision of high-speed communication lines that can transfer the several megabytes of data in a music content in a short time. At present, most users access the Internet via public networks whose transfer rate is totally insufficient for this purpose. This means that downloading a number of music contents via a public network takes a long time. When doing so, the consumer will incur a large communication cost that may even exceed the cost of the music contents. This naturally discourages consumers from purchasing music electronically, as does the long time the consumer has to wait. This can lead to consumers canceling a purchase while a content is still being downloaded.

As with electronic music retailing, conventional

retail methods using a recording medium can promote releases related to a given product. This is traditionally done by printing promotional material and sales information for other releases on the jacket of a given product. If this promotional material succeeds in raising the interest of the consumer, the consumer may go on to purchase a separate recording medium that includes the related release by calling in at a record store.

The retail price of music media is determined by various costs related to the manufacture and distribution of the media. This means that a consumer who purchases a recording media storing a new release and a recording medium storing related music has to pay for the relatively high costs of the manufacture and distribution of two recording medium. As stated above, consumers have to call in at a record store to buy the related releases. Since consumers who are interested in related releases cannot buy them instantaneously, there is the danger for record companies that such consumers will no longer want the releases by the time they go to the record store.

Second Background Technology

As described above, music can be distributed in a variety of ways that include recording onto media and transmission via communication lines such as the Internet.

Various recording media, such as DVD-Audio (Digital

5

10

15

20

Versatile Disc - Audio) discs and CDs, can be used to record music. In general, music recorded on different media is encoded in a different way. Music contents are also often distributed using a broadcast wave via a satellite, a CATV (community antenna television) cable, or the like. Such services are generally fee-based but in some cases music can be provided free of charge for promotional purposes.

However, when distributing the same music using different methods, the music has to be encoded in a number of ways to produce a suitable music content for each distribution method for the following reason. Great differences regarding the provision (or lack) of copyright protection systems, the security of encryption keys, and playback performance exist among old and new playback devices, so that the generation and distribution of a single music content to every kind of playback device would prevent certain playback devices from using their copyright protection systems or making the most of their playback performance.

If a music content is distributed to certain playback devices equipped with copyright protection systems, it may appear wise to encrypt all distributed forms of the music content with a secure encryption key. However, some music contents distributed in this way are samples that are only intended for promotional use and so are not encoded with a high quality. If these contents are also encrypted with a secure encryption key, playback devices that cannot

5

10

15

20

decrypt the contents will not be able to play the sample. This limits the promotional effect of providing samples to consumers.

When a greater number of music contents need to be encoded using different encoding methods for the stated reasons, a supplier of contents is required to manage and distribute the contents with more caution to prevent these contents from being distributed to wrong destinations. For instance, if such a great number of music contents for sale should be mistakenly distributed instead of free promotional contents, this would cause significant damage to a content supplier.

<u>Disclosure of Invention</u>

15 Th

The first object of the present invention is to provide a recording medium whereby a consumer who purchased a music content can obtain other related music contents in a convenient way at a low price.

The second object of the present invention is to provide a content packaging device that can transmit music contents to playback devices of different types regardless of the provision (or lack) of copyright protection system, the security of encryption keys, and playback performance of the playback devices.

25

20

5

10

The first object can be achieved by a recording medium that stores: a first content; a second content that has been encrypted according to a first cryptosystem; and a

header that has been encrypted according to a second cryptosystem and contains a first key information for decrypting the second content, the header being attached to the second content, wherein the second cryptosystem is characterized by using a second key information for decryption, the second key information being provided to a predetermined device in advance.

5

10

15

20

25

When the stated recording medium stores a new release as the first content and a related release as the second content, a consumer who purchased the first content in the recording medium is allowed to purchase the related release by decrypting the first and second cryptosystems. These cryptosystems can be decrypted by loading the recording medium into the predetermined device to obtain the second key information that decrypts the second cryptosystem and that is provided to the predetermined device in advance. Accordingly, the consumer who has the predetermined device does not need to download these contents via the communication network, which takes a long time, and can purchase the related release in a convenient way without calling in at a record shop.

In addition, the consumer needs to pay cost of the manufacture and distribution of only one recording medium, and therefore a price of the second content can be set lower.

It is necessary to prevent a content whose reproduction or recording onto another recording medium is

charged from being reproduced or recorded without a fee being charged. For this reason, it may appear wise to encrypt such content using an encryption algorithm of high security such as an algorithm using a public key, however decryption of an algorithm of high security involves high operation loads and a long decryption time, especially when the content is several megabytes. With the present invention, by storing a superdistribution content as the second content and by using a complex public key encryption algorithm as the second cryptosystem only to encrypt the header, a time taken to decrypt the second content becomes shorter than when the second content is encrypted according to the complex second cryptosystem. When the consumer decides to play or purchase the second content, the second content can be quickly decrypted using the decryption key information taken from the header and presented to the user. The time taken by this decryption should be far shorter than the time that taken to download the same content electronically. In this way, the present technique succeeds in allowing the consumer to quickly reproduce or purchase the superdistribution content.

Here, the predetermined device may be capable of charging a fee, wherein the header may include use limitation information showing: whether reproduction of the second content is permitted; a number of times reproduction is permitted; whether recording of the second content onto another recording medium is permitted; and a number of times

5

10

15

20

recording is permitted, and fee information which shows, when reproduction of the second content is permitted, a fee to be charged by the predetermined device for the reproduction of the second content and when recording of the second content onto another recording medium is permitted, a fee to be charged by the predetermined device for the recording.

5

10

15

20

25

DISCOURTS - WO 0001007401

With the stated construction, the present recording medium limits the numbers of times for reproduction of the second content and recording of the second content onto another recording medium to prevent the second content from being reproduced and recorded onto another medium. This allows manufacturers to stop people from copying the second content or from excessively reproducing the second content, which prevents reducing the artistic appeal of the second content.

Here, the predetermined device may be capable of charging a fee, wherein the header may include use limitation information showing: whether reproduction of the second content is permitted; a period during which reproduction is permitted; whether recording of the second content onto another medium is permitted; and a period during which recording is permitted, and fee information which shows, when reproduction of the second content is permitted, a fee to be charged by the predetermined device for the reproduction of the second content and when recording of the second content onto another recording

medium is permitted, a fee to be charged by the predetermined device for the recording.

With the stated structure, the second content can be reproduced and recorded onto another recording medium only during the periods shown by the use limitation information. This enables manufacturers to increase the value of the second content by offering it to users for only a limited period.

The first object may be achieved by a digital data recording device that records digital data containing at least one content onto a recording medium, the digital data recording device including: a storage unit for storing at least one content to be recorded onto the recording medium; selecting unit for selecting a content whose reproduction and/or recording onto another recording medium need to be charged as a superdistribution content; a first encrypting unit for encrypting the selected superdistribution content according to a first cryptosystem to prevent the superdistribution content from being reproduced and from being recorded onto another recording medium before a fee has been charged; a generating unit for generating a superdistribution header containing key information to decrypt the encrypted superdistribution content; a second encrypting unit for encrypting the generated superdistribution header according to a second cryptosystem that ensures higher security than the first cryptosystem and for attaching the encrypted superdistribution header to the

5

10

15

20

encrypted superdistribution content; and a recording unit for recording the encrypted superdistribution content and the encrypted superdistribution header onto the recording medium.

With the stated construction, the present digital data recording device selects, out of a plurality of contents to be recorded onto another recording medium, a content whose reproduction and recording onto another recording medium should be charged as a superdistribution The digital data recording device then encrypts content. the superdistribution content to prevent the superdistribution content from being reproduced or recorded onto another recording medium without a fee being charged. Since the superdistribution header containing the key information used by a dedicated device when the superdistribution content is reproduced or/and purchased is attached to the encrypted superdistribution content, a content provider can be paid each time the consumer plays the superdistribution content or when the consumer records the superdistribution content onto another recording medium.

The first object can be also achieved by a digital data recording device that records digital data containing a superdistribution content from a first recording medium onto a second recording medium, the superdistribution content having been encrypted to prevent recording of the superdistribution content onto another recording medium before the recording is charged, the digital data recording

5

10

15

20

device including: a loading unit for loading one of the first recording medium and the second medium into the digital data recording device; a reading unit for reading, when the loaded recording medium is the first recording medium, the superdistribution content from the loaded first recording medium; a displaying unit for displaying a fee for the recording to a user; a receiving unit for receiving an input from the user; a decrypting unit for decrypting, if the received input indicates that the user agrees to pay the fee, the read superdistribution content; a charging unit for charging the user the fee if the received input indicates that the user agrees to pay the fee; and a recording unit for recording, when the loaded recording medium is the second recording medium, the decrypted superdistribution content onto the second recording medium.

According to the above construction, only when the consumer agrees to the purchase of the superdistribution content on the first recording medium the consumer has bought, does the present digital data recording device charges the price of the superdistribution content. As the consumer does not need to download the superdistribution content via the communication network, the communications fee charged to the consumer can be minimized in a state where the required infrastructure for electronic music distribution has not been fully implemented, and so a transmission speed of a communication network is low. As a result, the superdistribution content can be sold with

5

10

15

20

little cost involved.

The first object can be also achieved by a playback device that reproduces digital data containing at least one superdistribution content written on a recording medium, the superdistribution content having been encrypted to prevent the superdistribution content from being reproduced before a fee is charged, the playback device including: a loading unit for loading the recording medium into the playback device; a reading unit for reading the superdistribution content from the loaded recording medium; a displaying unit for displaying a reproduction fee to a user; a receiving unit for receiving an input from the user; a decrypting unit for decrypting, if the received input indicates that the user agrees to pay the reproduction fee, the read superdistribution content; a charging unit for charging the user the reproduction fee if the received input indicates that the user agrees to pay the reproduction fee; and a reproducing unit for reproducing the decrypted superdistribution content.

With the present playback device, the charging unit charges the user the reproduction fee if the received input indicates that the user agrees to pay the reproduction fee. This allows the content provider to charge the user each time the superdistribution content is reproduced.

The second object can be achieved by a content packaging device that produces a package containing a plurality of contents, the content packaging device

5

10

15

20

including: an encoding unit for encoding, using different methods, a production to be distributed to generate a plurality of contents that each have a different reproduction quality; a grading unit for giving a grade to each of the generated contents according to a reproduction quality of the content; a table storing unit for storing a table containing a plurality of grades and a plurality of pairs, each pair consisting of an encryption key information and an encryption algorithm information and being associated with a different grade out of the grades given by the grading unit; an encrypting unit for referring to the table and encrypting each content given a grade using an encryption key and an encryption algorithm indicated by a pair associated with the grade; and a packaging unit for packaging the plurality of contents that have been encrypted to produce the package.

With the stated construction, the content packaging device encodes, using different methods, a production to be distributed to generate the plurality of contents that each have a different reproduction quality. The content packaging device then packages the plurality of contents to produce a package. As a result, each target content playback device can select a content from the transmitted content package according to the hardware performance of the content playback device. Accordingly, a content provider can transmit contents of differing qualities without needing to consider the different reproduction conditions of target

5

10

15

20

content playback devices with the copyrights of the contents being protected.

5

10

15

20

25

The second object can be achieved by a content packaging device that produces a package containing a plurality of contents, the content packaging device including: an encoding unit for encoding, using different methods, a production to be distributed so that a part of the production is encrypted as a sample content and a remaining part of the production as a main content; a grading unit for giving a predetermined grade to the sample content and a higher grade to the main content; a table storing unit for storing a table containing the predetermined grade, the higher grade, and two pairs, each pair consisting of an encryption key information and an encryption algorithm information, one pair being associated with the predetermined grade, another pair being associated with the higher grade; an encrypting unit for encrypting, after referring to the table, the graded sample content using an encryption key and an encryption algorithm indicated by the pair and encrypting the graded main content using an encryption key and an encryption algorithm indicated by the other pair; and a packaging unit for packaging the encrypted sample content and the encrypted main content to produce the package.

According to the stated content packaging device, a content package of a smaller size can be transmitted via each distribution method and recorded onto a recording

medium such as a hard disk or a CD-ROM using smaller storage areas.

Brief Description of Drawings

These and the other objects, advantages and features of the invention will become apparent from the following description thereof taken in conjunction with the accompanying drawings which illustrate a specific embodiment of the invention.

10 In the drawings:

FIG. 1A shows the external appearance of an Enhanced-CD;

FIG. 1B shows the data structure of the Enhanced-CD;

FIG. 2A shows the external appearance of a DVD-Audio

15 disc;

FIG. 2B shows a logical format of the DVD-Audio disc;

FIG. 3 shows a plastic case containing a retail recording medium;

FIG. 4 shows the data structure of a container 6;

FIG. 5 shows examples of purchase conditions 12;

FIG. 6 shows how a retail content 3 and a superdistribution content 10 are distributed;

FIGs. 7A-7D show states in which a superdistribution content is recorded from a retail recording medium 200 onto a purchased-copy recording medium 650;

FIG. 8 shows an example of an interactive screen

20

displayed using a playback control script 4 and still image data 5 by a playback device;

FIG. 9 shows the construction of a digital data recording device 100 of the second embodiment;

FIG. 10 is a flowchart showing the processing of the digital data recording device 100;

FIG. 11 shows an internal structure of a digital data recording device 300 of the third embodiment;

FIG. 12 is a flowchart showing the processing of an encoding unit 303 in the digital data recording device 300;

FIG. 13 shows an internal structure of a digital data playback device 400 of the fourth embodiment;

FIG. 14 is a flowchart showing the processing of an encoding unit 303 of the digital data playback device 400;

FIG. 15 shows a variety of methods to distribute content packages according to the fifth embodiment;

FIG. 16 shows internal constructions of a content packaging device 700 and content playback devices 801-809 according to the fifth embodiment;

FIG. 17A shows an example of a first correspondence table;

FIG. 17B shows an example of a second correspondence table;

FIG. 17C shows an example of a table stored in a hardware-grade/decryption correspondence table storage unit according to the fifth embodiment;

FIG. 18 shows a content package packaged by a

5

10

15

20

content packaging unit 709 according to the fifth embodiment;

FIG. 19 shows internal constructions of a content packaging device 700 and content playback devices 801-809 according to the sixth embodiment; and

FIG. 20 shows a content package packaged by a content packaging unit 709 according to the sixth embodiment.

10 Best Mode for Carrying Out the Invention

The following describes the recording media, playback devices, and recording devices of the present invention with reference to several embodiments. For ease of explanation, the recording media, the playback devices, and the recording devices will be explained separately using the first to sixth embodiments.

First Embodiment

The first embodiment describes a recording medium used in the retailing of music contents. Music contents for sale are called retail contents and are bought and sold having been recorded onto recording media called retail recording media. Two types of retail recording media are used in the present embodiment. The first is an Enhanced-CD, which is a disc made up of an inner region having the same physical structure as a CD such as Compact Disc-Digital Audio (CD-DA) and of an outer region having the same

5

15

20 -

physical structure as a CD-ROM. An Enhanced-CD therefore functions as both a CD-DA and a CD-ROM. FIG. 1A shows the external appearance of an Enhanced-CD, and FIG. 1B shows the data structure of the Enhanced-CD. As shown in FIGs. 1A and 1B, the inner region of the Enhanced-CD is called a CD-DA area, and the outer region is called a CD-ROM area. In terms of function, the CD-DA area can be called a content area 1 as it stores a retail content 3, and the CD-ROM area can be called an added value area 2 as it stores data that adds values to the whole recording medium. This recording medium is a retail recording medium used to sell the retail content 3 stored in the content area 1.

The second type of the recording medium used in the present embodiment is a DVD-Audio disc that stores the retail content 3. FIG. 2A shows the external appearance of the DVD-Audio disc, and FIG. 2B shows the logical format of the DVD-Audio disc. Although the DVD-Audio disc does not have a CD-DA area or a CD-ROM area like the Enhanced-CD disc, it stores a playback control script 4, still image data 5, and a container 6 as different files that can be accessed by a personal computer, and has the same functional data structure as the Enhanced-CD disc, which is to say, the DVD-Audio disc includes a content area 1 storing the retail content 3 and an added value area 2 storing data to add value to the whole recording medium. The major difference between the Enhanced-CD and the DVD-Audio disc is that the retail content 3 is recorded in the content area 1 of the

Enhanced-CD as it is, but is recorded in the content area 1 of the DVD-Audio disc having been encrypted using identification information unique to this particular DVD-Audio disc.

5

10

15

Each of these recording media is packaged in a plastic case along with printed inserts. FIG. 3 shows a plastic case specifically designed for packaging these recording media in the same way as a conventional music CD. When the retail content 3 in the content area is for music entitled "SONG", the title "SONG" and related images are printed on the jacket of the recording medium as shown in FIG. 3.

As stated above, a content area 1 and an added value area 2 exist in both the Enhanced-CD and the DVD-Audio disc. The following explains stored contents of the added value area 2. The right-hand columns in FIGs. 1B and 2B show the stored contents of the added value area 2. As shown in the figures, the added value area 2 stores the playback control script 4, the still image data 5, and the container 6.

20

25

The playback control script 4 is information that describes what should be displayed on an interactive screen of a device when a recording medium of the present embodiment is loaded into the device. The playback control script 4 is written in a format such as MACROMEDIA DIRECTOR or HTML. MACROMEDIA DIRECTOR format is used to describe authoring procedures that can be interpreted by software running on MS-WINDOWS or MAC OS, while HTML is often used to

write an Web pages that are displayed by browsers.

5

10.

15

20

25

The still image data 5 is a static image to be displayed on the interactive screen of the device according to the playback control script 4.

A conventional Enhanced-CD stores a playback control script and still image data for displaying information, such as lyrics, or a promotional video of the retail content, or introduction of a fan club, or information on other new releases. However, the playback control script 4 and the still image data 5 in the present embodiment are for display not information on the retail content 3 but information that recommends purchase and playback of a different music content.

For instance, if the retail content 3 is for a new release by a popular artist, the playback control script 4 can display information to recommend purchase and playback of a past hit song by the same artist. From the following explanation, it will become clear what music content in particular is being introduced by the playback control script 4.

The following explains the container 6 in the added value area 2 contained in both the Enhanced-CD and the DVD-Audio disc of the present embodiment. FIG. 4 shows the construction of the container 6. As shown in the figure, the container 6 includes an encrypted header 7 and an encrypted content 8. The encrypted header 7 is a superdistribution header 9 that has been encrypted, and the

encrypted content 8 is a superdistribution content 10 that has been also encrypted.

"Superdistribution" is the name of a method of distributing contents and that is advocated by Ryoichi Mori, Professor Emeritus at University of Tsukuba. In superdistribution, a predetermined superdistribution header is attached to a content to be distributed and sold. Such a superdistribution header contains creditor information indicating a creditor who is to be paid, and purchase information indicating purchase conditions. When a consumer uses this content, the consumer's device interprets the creditor information and the purchase information to create a use record. The consumer reimburses the creditor according to the use record.

The superdistribution header 9 and the superdistribution content 10 are stored in the container 6 with a premise that they are suited to superdistribution. It is this superdistribution content 10 that has been encrypted and stored in the container 6 that is recommended by the still image data 5 and the playback control script 4.

As mentioned above, the superdistribution header 9 indicates confidential information used for securely performing superdistribution, such as the creditor information and the purchase information, which need protection against fraudulent acts such as tampering. For this reason, the superdistribution header 9 in the present embodiment includes a data area that has been encrypted

5

10

15

20

according to a cryptosystem based on a public key encryption algorithm. Note that the whole superdistribution header 9 may be encrypted instead, with this being the case for the following explanation. Widely used public key encryption systems include elliptic curve encryption systems and Rivest, Shamir, Adleman encryption (RSA). Public key cryptosystems are highly secure, since data that has been encrypted with a public key can only be decrypted with a different key. The present embodiment uses a public key cryptosystem to encrypt the superdistribution header 9, but this public key cryptosystem is improved in that a decryption key for decrypting the encrypted superdistribution header 9 is provided to a dedicated device in advance and that the encrypted superdistribution header 9 is decrypted when a retail recording medium is loaded into the dedicated device. In more detail, the dedicated device is connected to a communication network and charges the consumer a proper fee via the communication network when the superdistribution header 9 is decrypted and the dedicated device reproduces the superdistribution content 10 or records it onto another recording medium. This ensures that the consumer pays the copyright holder for using the superdistribution content 10.

Note that when different superdistribution contents need to be recorded onto a single retail recording medium, a superdistribution header of each superdistribution content is encrypted with a different public key, while the

5

10

15

20

dedicated device decrypts these superdistribution headers with a common decryption key. Note that although a fee for playback and/or purchase of a superdistribution content is charged via a communication network in the present embodiment, such a fee may be charged by another device by transferring fee information onto another recording medium such as an IC card or a prepaid card and having the another device operate according to the IC card or the prepaid card.

For the above construction, the decryption key for decrypting a superdistribution header is provided not on a retail recording medium but in the dedicated device. As a result, if a person who purchased the retail recording medium should try to decrypt the superdistribution header 9 using an unauthorized device, it would be extremely difficult to decrypt the encrypted superdistribution header 9. This is so because a decryption key for decrypting the superdistribution content 10 is contained in the superdistribution header 9. Such decryption key will be described more later. As a result, the decryption of the superdistribution content 10 becomes also very difficult, so that the superdistribution content 10 can be distributed securely.

Note that no indication of the superdistribution content 10 is given on the jacket of the retail recording medium, as shown in FIG. 3. This is to prevent the consumer from thinking that the superdistribution content 10 is provided at no charge when he purchases the retail recording

5

10

15

20

medium storing the retail content 3.

The following explains elements stored in the superdistribution header 9 with reference to FIG. 4. As shown in FIG. 4, the superdistribution header 9 contains a content ID 11, purchase conditions 12, and a decryption key 13.

The content ID 11 is identification information to distinguish the superdistribution content 10 from other contents. As the superdistribution content 10 is a music content, identification information such as an International Standard Recording Code (ISRC) is written as the content ID 11. The ISRC is ID information provided to each song and consists of a country code (two ASCII characters), a recording year (one two-digit number), and a serial number (one five-digit number).

The purchase conditions 12 are information about the conditions regarding the purchase of the superdistribution content 10. FIG. 5 shows an example of the purchase conditions 12. As shown in the right column of FIG. 5, the purchase conditions 12 indicate the following: "permitted number of plays"; "digital output permission"; "playback permission expiry time"; "playback permission expiry date"; and "fee information".

The "permitted number of plays" is an integer indicating a limit on the number of times the superdistribution content 10 can be reproduced.

The "digital output permission" indicates whether

5

10

15

20

the superdistribution content 10 is permitted to be output via a digital output terminal of the dedicated device if the dedicated device has such a terminal. If so, the "digital output permission" also indicates the limit on the number of times for the digital output using an integer.

The "playback permission expiry time" indicates an expiry time at which point the superdistribution content 10 cannot be reproduced any more.

The "playback permission expiry date" indicates a date on which the playback permission expires. After this expiry date, the superdistribution content 10 cannot be reproduced any more.

The "fee information" indicates a fee charged when a consumer reproduces the superdistribution content 10 and a fee for the purchase of the superdistribution content 10.

Note that the purchase fee is charged when the consumer records the superdistribution content 10 in the container 6 onto another recording medium, and playback fee is charged on an as-used basis according to a number of times the consumer has reproduced the superdistribution content 10. In electronic commerce, this fee information is an application form with a signature for purchase, which is to say, a consumer who owns the retail recording medium applies for the purchase or playback of the superdistribution content 10 by having the dedicated device transmit the fee information along with a user (consumer) ID to a host computer at a billing office of the music company. The dedicated device

5

10

15

20

loaded with the retail recording medium performs the above transmission via the communication network. The billing office, which knows a credit card number of the user registered in advance, charges the consumer for the purchase or the playback by withdrawing the fee from a bank account corresponding to the credit card number of the user referring to the sent user ID.

5

10

15

20

25

The decryption key 13 decrypts the encrypted content 8 to generate the superdistribution content 10. superdistribution content 10 is a music content in a format such as Linear Pulse Code Modulation (LPCM), Advance Audio Coding (AAC), or Digital Theater System (DTS) and is encrypted with a block cryptosystem. Block cryptosystems divide a content to be encrypted into blocks of a certain length, and encrypts the content in units of blocks. (data encryption standard), where one block is 64-bit long, or RC5, where blocks have a variable length, are examples of block cryptosystems. In a block cryptosystem, the same key is used for encryption and decryption, so that block cryptosystems have lower security than public key cryptosystems. However, with the present embodiment, the decryption key 13 used for decrypting the encrypted content 8 is contained in the superdistribution header 9 that is itself encrypted with a public key cryptosystem of higher security. As a result, it is extremely difficult for an unauthorized user to decrypt the superdistribution content 10.

As has been described, with the above construction of

the container 6, it is extremely difficult to decrypt the superdistribution header 9 and tamper with the fee information, as the purchase conditions 12 are contained in the superdistribution header 9 which has been encrypted using a public key to ensure high security. As stated above, the superdistribution header 9 is encrypted with complex public key encryption, and the superdistribution content 10 is encrypted via a simpler block encryption technique using the decryption key 13 given in the superdistribution header 9. When the consumer decides to play or purchase the superdistribution content 10, the superdistribution content 10 can be quickly decrypted using the decryption key 13 taken from the superdistribution header 9 and presented to the The time taken by this decryption should be far shorter than the time that taken to download the same content electronically. In this way, the present technique succeeds in allowing the consumer to quickly reproduce or purchase the superdistribution content 10.

The following describes management information on a superdistribution header and a superdistribution content. Although a retail content is managed by management information provided on a CD or a DVD-Audio disc storing the retail content so that such content will be recognized and reproduced as music by a CD player or a DVD-Audio disc player, a superdistribution content and a superdistribution header are not managed by such management information. This is to stop the CD player or the DVD-Audio disc player

5

10

15

20

recognizing the superdistribution content as music and reproducing the superdistribution content without decrypting it. In such case, the superdistribution content would be reproduced as noise. Accordingly, a superdistribution content and a superdistribution header are managed by unique management information to distinguish them from the retail content. This management information is used by the dedicated device to detect the start and the end of the recording areas of the superdistribution header and the superdistribution content on a recording medium when reading the superdistribution header and the superdistribution content from the recording medium. Here, note that the terms CD player and DVD-Audio disc player do not refer to the digital data playback device 400 that is described later.

5

10

15

20

25

The following explains how the retail content 3 is distributed to a consumer and the superdistribution content 10 is superdistributed to the consumer with reference to FIG. 6.

As shown by arrow yl in FIG. 6, a digital data recording device 100 installed in a factory operated by the music company records the retail content 3, the playback control script 4, the still image data 5, and the container 6 onto a retail recording medium 200. The retail recording medium 200 is then transported as shown by arrow y2 by truck, for instance, to a retail shop as in the distribution of a conventional CD so that a consumer can purchase the retail recording medium 200 at the retail shop as shown by arrow y3.

The consumer who bought the retail recording medium 200 plays the retail content 3 in the same manner as when playing a normal CD or on a DVD-Audio disc. For instance, the consumer may listen to the retail content 3 on a portable playback device while walking as shown by arrow y4.

Assume that the consumer who bought the retail recording medium 200 has a digital data recording device 300 and a digital data playback device 400 in his house as the aforementioned dedicated devices connected to a communication network. The digital data recording device 300 records the superdistribution content 10 from the retail recording medium 200 onto another recording medium with a fee being charged by the music company. The digital data playback device 400 plays the superdistribution content 10 on the retail recording medium 200, which is also charged.

The playback control script 4 in the retail recording medium 200 has the digital data recording device 300 and the digital data playback device 400 display an interactive screen that contains the reproduced still image data 5. FIG. 8 shows an example of the interactive screen. In FIG. 8, an image ml is an introductory image of the superdistribution content 10, for instance, a photo of the band who plays a related release of the superdistribution content 10. A message m2 prompts the user to reproduce the superdistribution content 10, and buttons m3 and m13 are used to designate positive and negative responses to the message m2. A playback fee m4 shows the reproduction fee of the

5

10

15

20

superdistribution content 10. A message m5 prompts the user to purchase the superdistribution content 10, and buttons m6 and m16 are used to designate positive and negative responses to the message m5. A purchase fee m7 shows a purchase price of the superdistribution content 10. This interactive screen allows a consumer to know about the superdistribution content 10 in the retail recording medium 200, and if interested, the consumer can have the digital data playback device 400 reproduce the superdistribution content 10 or purchase the superdistribution content 10 via the digital data recording device 300. When the consumer purchases or reproduces the superdistribution content 10, the digital data recording device 300 or the digital data playback device 400 transmits fee information indicating a fee for the purchase or the playback via a communication network 500 to a host computer 600 installed in the billing office of the music company.

5

10

15

20

25

FIGs.7A-7D show stages in which the digital recording device 300 records the superdistribution content 10 from the retail recording medium 200 onto another recording medium to purchase the superdistribution content 10. Hereafter, the recording medium onto which the superdistribution content 10 is recorded to purchase it from a retail recording medium is called the purchased-copy recording medium. Here, assume that the purchased-copy recording medium is a DVD-RAM.

As shown in FIG. 7A, when a user loads the retail recording medium 200 and the DVD-RAM 650 as a purchased-copy recording medium into the digital data recording device 300,

the digital recording device 300 records the superdistribution content 10 onto the DVD-RAM 650 as shown in FIG. 7B. When the user ejects the DVD-RAM 650 as shown in FIG. 7C, the purchase of the superdistribution content 10 is completed. To play the DVD-RAM 650, the user removes the DVD-RAM 650 from its cartridge and loads the DVD-RAM 650 into a DVD-RAM-compatible DVD-Audio player that can play both DVD-Audio discs and DVD-RAMs.

Note that the digital recording device 300 may record the superdistribution content 10 onto a memory card, instead of a DVD-RAM.

With the superdistribution explained in the present embodiment, a price of the superdistribution content 10 can be set lower than the retail price of the retail content 3. This is because the retail price of the retail content 3 includes various distribution costs of an Enhanced-CD or a DVD-Audio disc such as a transportation cost, while the price of the superdistribution content 10 does not include any distribution cost as it can be purchased by merely decrypting the encryption.

The present embodiment enables the user to purchase related contents in an interactive manner that resembles electronic commerce without using high speed communication lines that would be required for successful electronic distribution via the Internet, for example.

Note that while an Enhanced-CD and a DVD-Audio disc are used as a recording medium to store a music content in

5

10

15

20

the present embodiment, a DVD-Audio disc of a hybrid type functions both as a DVD-Audio disc and as a DVD-ROM.

This completes the description of a data structure suitable for the superdistribution, which is the first embodiment of the present invention.

Second Embodiment

5

10

15

20

25

DIRECTORIO - MAIO - CONTROTAD I -

The second embodiment relates to a digital data recording device 100 that produces a recording medium containing data in a format suited to superdistribution.

FIG. 9 shows the digital data recording device 100 of the present embodiment. The digital data recording device 100 is achieved by installing a dedicated application program into a general-purpose personal computer, and comprises an input unit 101, a control unit 102, an encoding unit 103, a content storage unit 104, an obtaining unit 105, a superdistribution content encrypting unit 106, a superdistribution header encrypting unit 107, a retail content encrypting unit 108, a recording unit 109, and a unique information obtaining unit 110. The digital data recording device 100 records a superdistribution content onto the retail recording medium 200.

Note that although the digital data recording device 100 of the present embodiment records a music content onto a retail recording medium, data to be recorded onto a retail recording medium is not limited to this, that is, other data such as graphic data, character data, or combination of

graphic data and character data may be recorded onto the retail recording medium.

The input unit 101 is connected to a pointing device such as a mouse or a keyboard and receives an instruction from an operator to encode a certain piece of music, to obtain a certain encoded data, etc.

The control unit 102 interprets a request from the input unit 101 and instructs the encoding unit 103 to encode a piece of music or the obtaining unit 105 to obtain a music content stored in the content storage unit 104.

The encoding unit 103 encodes original music recorded on a master tape or the like and compresses the encoded music to generate a music content. For instance, the encoding unit 103 generates digital data in LPCM format, and compresses the generated LPCM digital data to generate a music content in AAC format. After generating the music content, the encoding unit 103 generates the content ID, which has been described in the first embodiment, of the generated music content.

Note that the digital data recording device 100 does not have to include the encoding unit 103 because such encoding may be performed beforehand, for instance, by a different device, and the music content that has been encoded can be stored in the content storage unit 104.

The content storage unit 104 is a large-capacity hard disk device, which stores the music content encoded by the encoding unit 103 and its content ID.

The obtaining unit 105 obtains a music content that

5

. 10

15

20

has been encoded and its content ID from the content storage unit 104 according to an instruction from the control unit 102.

5

10

15

20

25

DNEDOCID: -WO MOSTOSTAS I >

The superdistribution content encrypting unit 106 encrypts a superdistribution content. Here, assume that the digital data recording device 100 is to produce the retail recording medium 200 that has the same stored contents as shown in FIG. 1 or FIG. 2. In this case, the superdistribution content encrypting unit 106 encrypts the superdistribution content 10 using the decryption key 13 as an encryption key to generate the encrypted content 8. The setting of the decryption key 13 can be made arbitrarily by the operator.

The superdistribution header encrypting unit 107 generates the superdistribution header 9 by combining the purchase conditions 12 that the operator has written in a format suited to superdistribution, the content ID 11, and the decryption key 13. The superdistribution header encrypting unit 107 then encrypts the generated superdistribution header 9 to generate the encrypted header 7, which it attaches to the encrypted content 8 to produce the container 6.

The unique information obtaining unit 110 obtains, if the retail recording medium 200 is a DVD-Audio disc and the retail content 3 needs to be encrypted based on identification information unique to the DVD-Audio disc, identification information that was recorded onto the DVD-

Audio disc when the DVD-Audio disc was manufactured. The unique information obtaining unit 110 then outputs the obtained identification information to the retail content encrypting unit 108. If the retail recording medium 200 is an Enhanced-CD, the retail content 3 does not need to be encrypted, and the processing of the unique information obtaining unit 115 is not performed.

The retail content encrypting unit 108 encrypts the retail content 3 based on the obtained identification information unique to the DVD-Audio disc if the retail recording medium 200 is a DVD-Audio disc. If the retail recording medium 200 is an Enhanced-CD, the retail content 3 does not need to be encrypted so that the retail content encrypting unit 108 does not encrypt the retail content 3. A cryptosystem based on identification information unique to a recording medium is disclosed by Japanese Laid-Open Patent Application No.5-257816, and so that no detailed explanation of such will be given.

The recording unit 109 records the container 6 generated by the superdistribution header encrypting unit 107 and the retail content 3 that may be encrypted by the retail content encrypting unit 108 onto the retail recording medium 200.

The following explains the processing of the digital data recording device 100 with reference to the flowchart of FIG. 10. The following explanation is provided assuming that original music has been already encoded and compressed as

5

10

15

20

music contents and that a plurality of such music contents are stored in the content storage unit 104.

In step S1, after being activated, the control unit 102 waits for a designation of a music content to be recorded onto the retail recording medium 200 out of the plurality of music contents in the content storage unit 104. If a music content has been designated, the control unit 102 waits for an instruction from the operator to record the designated music content onto the retail recording medium 200 either as a retail content or a superdistribution content in step S2. On receiving the instruction, the control unit 102 judges whether the received instruction indicates that the designated music content should be recorded as a retail content or a superdistribution content in step S3.

Here, assume that the control unit 102 judges that the instruction indicates that the music content should be recorded as a retail content (the retail content 3) in step S3. As a result, the processing moves from step S3 to step S8, where the control unit 102 judges whether the retail recording medium 200 is a DVD-Audio disc or an Enhanced-CD. If the control unit 102 judges that the retail recording medium 200 is an Enhanced-CD, the processing moves from step S8 to step S6, where the control unit 102 instructs the obtaining unit 105 to obtain the designated music content from the content storage unit 104 and the recording unit 109 to record it onto the retail recording medium 200. On the other hand, if the control unit 102 judges that the retail

5

10

15

20

recording medium 200 is a DVD-Audio disc in step S8, the processing moves to step S9, where the control unit 102 instructs the obtaining unit 105 to obtain the designated music content from the content storage unit 104 and send it to the retail content encrypting unit 108. The retail content encrypting unit 108 then instructs the unique information obtaining unit 108 to obtain the unique identification information from the retail recording medium The processing then moves from step S9 to step S10, where the retail content encrypting unit 108 encrypts the retail content 3 using the obtained identification information as an encryption key, and then to step S6, where the recording unit 109 records the encrypted retail content 3 onto the retail recording medium 200. The above processing in steps S1 to S3, S8 to S10, and S6 results in the retail content 3 being recorded onto the retail recording medium The following explains the processing performed when the control unit 102 judges that the received instruction indicates that the designated music content should be recorded as a superdistribution content (the superdistribution content 10) in step S3.

On judging that the designated music content should be recorded as a superdistribution content, the control unit 102 instructs the obtaining unit 105 to obtain the music content and output the obtained music content (superdistribution content 10) to the superdistribution content encrypting unit 106 in step S3. In step S4, the

5 .

10

15

20

superdistribution content encrypting unit 106 encrypts the output superdistribution content 10 to generated the encrypted content 8.

5

10

15

20

25

In step S5, the control unit 102 instructs the superdistribution header encrypting unit 107 to combine the content ID 11, the purchase conditions 12, and the decryption key 13 and to encrypt the combination to generate encrypted header 7. The control unit 102 then attaches the encrypted header 7 to the encrypted content 8 to generate the container 6. In step S6, the recording unit 109 records the container 6 onto the retail recording medium 200. In step S7, the digital data recording device 100 asks the operator if recording should be terminated. If so, the processing shown in this flowchart is terminated, or if not, the processing moves from step S7 to step S1.

As has been described, the digital data recording device 100 of the present embodiment selects, out of a plurality of music contents to be recorded onto the retail recording medium 200, a music content whose reproduction and recording onto another recording medium should be charged as a superdistribution content. The digital data recording device 100 then encrypts the superdistribution content to prevent the superdistribution content from being reproduced or recorded onto another recording medium without a fee being charged.

Since the superdistribution header 9 containing the decryption key 13 and the fee information 12 used by the

dedicated device when the superdistribution content 10 is reproduced or/and purchased is attached to the encrypted superdistribution content 10, the music company can be paid each time the consumer plays the superdistribution content 10 or when the consumer purchases the superdistribution content 10.

Third Embodiment

The following explains the third embodiment.

10

15

20

5

FIG. 11 shows an internal construction of a digital data recording device 300 of the third embodiment. The digital data recording device 300 is fundamentally the same as a digital data recording device used for the conventional electronic music distribution, and so has a download function for electronic music distribution to receive a music content via the Internet and to record the music content onto a purchased-copy recording medium with a fee being charged. More specifically, the digital data recording device 300 includes a communication unit 313 for transferring data via the Internet and a billing unit 310 for charging a fee via the communication network when using electronic commerce. FIG. 11 is provided to functionally show the internal structure of the digital data recording device 300 related to the purchase of superdistribution contents.

25

The digital data recording device 300 is achieved by a personal computer in which a dedicated application program has been installed and comprises an input unit 301, a display

unit 302, a control unit 303, an obtaining unit 304, a superdistribution header decrypting unit 305, a superdistribution content decrypting unit 306, a unique information obtaining unit 307, a superdistribution content re-encrypting unit 308, a recording unit 309, the billing unit 310, a fee information storage unit 312, the communication unit 313, and a record count management unit 314. The following explanation assumes that the retail recording medium 200 has the stored contents shown in FIG. 1 or FIG. 2 and that the purchased-copy recording medium 650 is a DVD-RAM.

5

10

15

20

25

The input unit 301 is connected to a pointing device such as a mouse or a keyboard, and receives an instruction to purchase a certain superdistribution content from the user. Note that the "purchase" of a superdistribution content via the superdistribution can be achieved by recording data in the superdistribution content onto another recording medium or by outputting the data in the superdistribution content via a digital output terminal provided on a digital data recording or playback device. This latter case is possible since it enables the data in the superdistribution content 10 to be recorded onto another recording medium loaded in another drive device. Here, note that the digital data recording device 300 is assumed to have such a digital output terminal to which a drive device is connected as shown in FIG. 7A.

The display unit 302 displays an interactive screen

based on the playback control script 4 and the still image data 5 which are recorded on the retail recording medium 200 to visually provide the consumer with information on the superdistribution content 10 such as fees for playback and purchase of the superdistribution content 10.

The control unit 303 interprets an instruction inputted via the input unit 301 from the user and instructs other functional units according to the instruction. For instance, on receiving the instruction from the user to purchase the superdistribution content 10, the control unit 303 instructs the obtaining unit 304 to obtain the superdistribution content 10 and the superdistribution header 9 from the retail recording medium 200. The control unit 313 also controls the processing thereafter according to an output from another functional unit.

The obtaining unit 304 obtains the container 6 from the retail recording medium 200.

The superdistribution header decrypting unit 305 decrypts the encrypted header 7 in the container 6 obtained by the obtaining unit 304 using a decryption key to obtain the superdistribution header 9. When the superdistribution header 9 is obtained, it becomes possible to show the user the purchase conditions 12. Here, the decryption key used to decrypt the encrypted header 7 may be contained beforehand in the application program installed in the digital data recording device 300 or may be transmitted from the billing office via a communication network.

5

10

15

20 .

After the superdistribution header decrypting unit 305 decrypts the superdistribution header 9, the superdistribution content decrypting unit 306 decrypts the encrypted content 8 using the decryption key 13 contained in the superdistribution header 9. As a result, the superdistribution content 10 is obtained.

5

10

15

20

25

The unique information obtaining unit 307 obtains identification information unique to the purchased-copy recording medium 650, which is a DVD-RAM. For a DVD-RAM, information written in a Burst Cutting Area (BCA) is used as the identification information on the DVD-RAM. Different identification information is recorded onto each DVD-RAM when the DVD-RAM is manufactured, and the identification information cannot be changed. When the superdistribution content 10 is encrypted using the identification information unique to a DVD-RAM as an encryption key, the decryption key for decrypting the superdistribution content 10 will also be based on the same identification information, and so if the encrypted superdistribution content should be copied from one DVD-RAM onto another, identification information will differ, preventing the copied superdistribution content from being decrypted. As a result, the copyright of the superdistribution content 10 can be securely protected.

Based on the identification information obtained by a unique information obtaining unit 307, the superdistribution content re-encrypting unit 308 encrypts the superdistribution content 10 that has been decrypted by the superdistribution

content decrypting unit 308.

The recording unit 309 records the re-encrypted superdistribution content 10 onto the purchased-copy recording medium 650 and outputs a recording end notification to the billing unit 310.

On receiving the recording end notification from the recording unit 309, the billing unit 310 reads the fee information from the purchase conditions 12 in the decrypted superdistribution header 9, and calculates a fee for the purchase based on the read fee information. The billing unit 310 then inserts the calculated purchase fee into the read fee information.

The fee information storage unit 312 is achieved by a hard disk in the personal computer, and stores the fee information containing the calculated fee. It is desirable that the fee information storage unit 312 stores the fee information is an encrypted state or stores the fee information in a "secure area" which cannot be accessed by a user through a standard processing to protect the fee information from being tampered with.

The communication unit 313 includes a modem device connected to the communication network and software to control the modem device, and transmits the ID of the user and the fee information in the fee information storage unit 312 to the host computer 600 installed in the billing office of the music company via the communication network with an appropriate timing. Here, the appropriate timing may be when

5

10

15

20

the fee reaches a predetermined amount, or when a predetermined day comes. It is of course possible to communicate with the host computer 600 each time the user records a superdistribution content onto the purchased-copy recording medium 650.

5

10

15

20

25

The record count management unit 314 stores a number of times the recording unit 309 has recorded the superdistribution content 10 onto a purchased-copy recording medium 650 so far, and increments the number by one each time the recording unit 309 records the superdistribution content 10 onto a purchased-copy recording medium 650.

The following explains the processing of the digital data recording device 300 that has the above construction with reference to the flowchart of FIG 12.

The processing of this flowchart starts when the retail recording medium 200 is loaded into the digital data recording device 300. In step S20, an input from the user requesting to introduce the superdistribution content 10 of the related music is awaited. On receiving such input, in step S21 the control unit 303 has the obtaining unit 304 read the playback control script 4 and the still image data 5 from the added value area 2 of the retail recording medium 200. The control unit 303 then has the display unit 302 display the interactive screen shown in FIG. 8. In step S22, an instruction from the user to purchase the superdistribution content 10 is awaited. If an input indicating that the user performs cancel operation is received, the processing is

terminated, or if the purchase instruction is received, the processing moves from step S22 to step S23, where the control unit 303 has the obtaining unit 304 obtains the container 6 containing the encrypted header 9 from the retail recording medium 200. In step S24, the superdistribution header decrypting unit 305 decrypts the encrypted header 7 to obtain the superdistribution header 9. In step S25, the control unit 303 reads the number of times the recording unit 309 has recorded the superdistribution content 10 so far from the record count management unit 314. In step S26, the control unit 303 reads the limit on the number of times for digital output from the superdistribution header 9. In step S27, the control unit 303 judges whether the number of times read from the record count management unit 314 is lower than the read limit on the number of times. If not, the recording of the superdistribution content 10 is no longer permitted, and the processing of this flowchart is terminated. If so, the control unit 303 has the superdistribution content decrypting unit 306 decrypt the decrypted content 8 using the decryption key 13 in the superdistribution header 9 in step S28 to obtain the superdistribution content 10.

After the decryption of the superdistribution content 10, the control unit 303 has the unique information obtaining unit 307 obtain the identification information from the purchased-copy recording medium 650, and has the superdistribution content re-encrypting unit 308 encrypt the superdistribution content 10 using the obtained

5

10

15

20 .

identification information as an encryption key in step S29. In step S30, the control unit 303 has the recording unit 309 record the re-encrypted superdistribution content 10 onto the purchased-copy recording medium 650.

5

10

At the completion of the recording by the recording unit 309, the control unit 303 has the billing unit 310 read the fee information in the purchase conditions 12 from the superdistribution header 9 and calculate the fee for the purchase based on the read fee information. The control unit 303 then has the billing unit 310 insert the calculated purchase fee into the read fee information and place the inserted fee information into the fee information storage unit 312 in step S31. In step S32, the control unit 303 waits for an appropriate time to transmit the fee information stored in the fee information storage unit 312, and when such time is reached, the control unit 303 has the communication unit 313 obtain and transmit the fee information along with the ID of the user to the host computer 600 of the billing office in step S33. This completes the processing.

20

25

15

As has been described, only when the consumer agrees to the purchase of the superdistribution content 10 in the retail recording medium 200 the consumer has bought, does the digital data recording device 300 record the superdistribution content 10 onto the purchased-copy recording medium 650 and transmit the fee information for the recording to the billing office via the communication network. As a consumer does not need to download the

superdistribution content 10 via the communication network, the communications fee charged to the consumer can be minimized in a state where the required infrastructure for electronic music distribution has not been fully implemented, and so a transmission speed of a communication network is low. As a result, the superdistribution content 10 can be sold with little cost involved.

The fourth embodiment relates to a digital data

Fourth Embodiment

5

10

20

25

playback device 400 for reproducing a superdistribution content having been charged a fee. Unlike the digital data recording device 300 of the third embodiment that records the superdistribution content 10 from the retail recording medium onto another recording medium, the present digital data playback device 400 directly reproduces a superdistribution content from the retail recording medium 200, which is the major difference between the above two devices. Both devices have a function to download a music content via the Internet

FIG. 13 shows the construction of the digital data playback device 400 of the present embodiment. In FIG. 13, the functional units common to the digital data recording device 300 and the digital data playback device 400 are given the same reference numbers as in FIG. 11, and will not be explained here. The following explains only the functional

with the electronic music distribution and so include common

functional units for performing such download.

units assigned reference numbers in the 400 that are unique to the digital data playback device 400. These are a playback unit 401 and a playback count management unit 402.

The playback unit 401 reproduces the superdistribution content 10 that has been decrypted by the superdistribution content decrypting unit 306. On starting to reproduce the superdistribution content 10, the playback unit 401 notifies the billing unit 310 of the start of the reproduction so that the billing unit 310 charges the user the reproduction fee.

5

10

15

20

25

The playback count management unit 402 records a number of times the playback unit 401 has reproduced the superdistribution content 10, and increments the number by one for each reproduction by the playback unit 401.

The following specifically explains the processing of the digital data playback device 400 with reference to the flowchart of FIG. 14. In this flowchart, steps S20 to S24, step S28, and steps S31 to S33 are the same as in FIG. 12 and so will not be explained. The following explanation focuses on steps S41 to S46 that are unique to the fourth embodiment.

Following step S24 in which the encrypted header 7 is decrypted to obtain the superdistribution header 9, the control unit 303 reads the number of times the playback unit 401 has reproduced the superdistribution content 10 from the playback count management unit 402 in step S41. In the same step, the control unit 303 reads the permitted number of plays from the superdistribution header 9. In step S42, the

control unit 303 judges whether the number of times read from the playback count management unit 402 is lower than the permitted number of plays. If not, which means that the reproduction is no longer permitted, the processing of this flowchart is terminated, or if so, the control unit 303 reads the present time and date in step S43 and the playback permission expiry time and date from the superdistribution header 9 in step S44. In step S45, the control unit 303 judges whether the read present time has passed the read playback permission expiry time and the playback permission expiry date. If so, the processing of this flowchart is terminated, or if not, the processing moves from step S45 to step S28 in which the control unit 303 has the superdistribution content decrypting unit 306 decrypt the decrypted content 8 using the decryption key 13 to generate the superdistribution content 10. In step S46, the control unit 303 has the playback unit 401 reproduce the superdistribution content 10.

With the digital data playback device 400 of the present embodiment, the playback unit 401 notifies to the billing unit 310 whenever it starts to reproduce the superdistribution content 10. This allows the music company to charge the consumer each time the superdistribution content 10 is reproduced.

Note that the stated function to reproduce the superdistribution content 10 may be combined with the function to purchase the superdistribution content 10

5

10

15

20

described in the third embodiment to realize a digital data recording device in which these two functions are provided.

Fifth Embodiment

5

10

15

20

25

Although the first to the fourth embodiment have been described assuming that a music content is distributed using a recording medium, the present embodiment is described with a premise that a content is distributed using not only a recording medium but also the Internet or a broadcast wave of a satellite broadcast, a CATV cable, or the like.

FIG. 15 shows a variety of methods to distribute content packages produced by a content packaging device 700 of the present embodiment. The content package contains a plurality of contents, and will be explained more later. shown in FIG. 15, content packages are distributed via a DVD-Audio disc 701, a CD 702, the Internet 703, a CATV cable 704, and a communication satellite 705. Content playback devices 801-809 are devices for reproducing a content package. device 801 is a high-grade device dedicated to reproducing a content, and the devices 802 and 803 are low-grade dedicated device for a content. The devices 804 and 805 are dedicated portable devices for a content, and the devices 806 and 807 are general-purpose personal computers equipped with hardware dedicated to the reproduction of a content. The devices 808 and 809 are set-top boxes for receiving a broadcast wave via a communication satellite or a CATV cable.

In this way, content packages are distributed to the

content playback devices of various types. Among the content playback devices 801-809, consumer devices such as the devices 801 and 802 include hardware dedicated to the decryption of an encrypted content, while the devices 806 and 807 that are general-purpose personal computers do not include such dedicated hardware for decryption, and can only decrypt encrypted contents by running decryption software on general-purpose hardware. Accordingly, it is possible to regard the general-purpose personal computers 806 and 807 as not having a copyright protection system, and the consumer devices 801-805 as having such a system. This arrangement is used because consumer playback devices can reproduce contents at high quality, while a general-purpose personal computer can only reproduce contents at low quality.

FIG. 16 shows internal constructions of the content packaging device 700 and the content playback devices 801-809 according to the fifth embodiment. The content packaging device 700 includes a content encoding unit 706, a quality-grade/encryption correspondence table storage unit 707, a content encrypting unit 708, and a content packaging unit 709.

The content encoding unit 706 encodes a production to be distributed using different methods to generate a plurality of contents that each have a different reproduction quality but are based on the same production. Here, assume that the generated plurality of contents are a retail content 710 and a sample content 711 that has a reproduction quality

5

10

15

20

lower than the retail content 710.

5

10

15

20

25

The content-grade/encryption correspondence table storage unit 707 stores a first correspondence table and a second correspondence table. The first correspondence table stores a plurality of pairs that each consist of a quantization bit number and a sampling frequency which are used by the content encoding unit 706 when encrypting the content, and stores a plurality of content grades assigned to each content that is generated as a result of the above encoding. In this table, each pair is associated with a different content grade. The second correspondence table stores the same content grades as the first correspondence table and a plurality of pairs that each consist of an encryption key bit number and an encryption algorithm name. Each content grade is associated with a different pair.

FIG. 17A shows an example of the first correspondence table. As shown in the figure, Grade 1 is associated with a pair of 24 bits as the quantization bit number and 96 KHz as the sampling frequency, Grade 2 with 16 bits as the quantization bit number and 44.1 KHz as the sampling frequency, and Grade 3 with 16 bits as the quantization bit number and 22.05 KHz as the sampling frequency, wherein a lower grade number indicates a higher content grade. In this way, a pair of a higher quantization bit number and a higher sampling frequency is associated with a higher content grade.

FIG. 17B shows an example of the second correspondence table. As shown in FIG. 17B, Grade 1 is

associated with a pair of a 1024-bit encryption key and the RSA encryption algorithm, Grade 2 with a pair of a 512-bit encryption key and the RSA encryption algorithm, and Grade 3 with a pair of a 56-bit encryption key and the DES algorithm. Here, the RSA encryption algorithm is a public key system that provides higher security than the DES encryption algorithm which is a common key system. Encryption keys with higher bit numbers ensure higher security. In this way, a higher content grade is associated with an encryption key and an encryption algorithm that ensure higher security.

The content encrypting unit 708 refers to the first correspondence table and assigns a content grade out of Grades 1-3 to each content encoded and generated by the content encoding unit 706. The content encrypting unit 708 then refers to the second correspondence table and encrypts the content assigned a content grade using an encryption key and an encryption algorithm that are associated with the assigned content grade. For instance, when encrypting the retail content 710 that has been encoded by the content encoding unit 706 by quantizing at 24 bits and sampling at 96 KHz, the content encrypting unit 708 refers to the first correspondence table and assigns Grade 1 to the retail content 710. The content encrypting unit 708 then refers to the second correspondence table, generates a 1024-bit encryption key (a session key) associated with Grade 1, and encrypts the retail content 710 using the generated 1024-bit encryption key and the RSA algorithm associated with Grade 1.

5

10

15

20

The content encrypting unit 708 then attaches the 1024-bit encryption key to the retail content 710 to which the above scrambling has been performed.

5

10

15

20

25

On the other hand, when encrypting the sample content 711 that has been encoded using a 16-bit quantization bit number and a 44.1-KHz sampling frequency by the content encoding unit 706, the content encrypting unit 708 assigns Grade 2 to the sample content 711, generates a 512-bit encryption key (a session key) associated with Grade 2, and encrypts the sample content 711 using the generated 512-bit encryption key and the RSA encryption algorithm associated with Grade 2. The content encrypting unit 708 then attaches the 512-bit encryption key to the sample content 711 for which the above scrambling has been performed.

The content packaging unit 709 packages the retail content 710 and the sample content 711 that have been encrypted by the content encrypting unit 708 to generate a content package, and converts it into a form suitable for a distribution method. More specifically, if the content package is to be distributed via the Internet, a satellite broadcast, or a CATV cable, the content packaging unit 709 converts the content package into Transmission Control Protocol (TCP) packets or transport packets and outputs the generated packages. If the content package is to be distributed via a recording medium such as a CD-ROM or a DVD-ROM, the content packaging unit 709 converts the content package into a file in a Universal Disk Format (UDF) or the

like, and records the converted file onto a CD-ROM or a DVD-ROM. FIG. 18 shows an example of a content package that has been packaged, but not yet converted by the content packaging unit 709. As shown in the figure, the content package contains a plurality of contents and is distributed to the content playback devices 801-809.

The following explains the content playback devices 801-809. Although the content playback devices 801-809 have different overall constructions as shown in FIG. 15, these devices have common functional units shown in FIG. 16, that is, a hardware-grade/decryption correspondence table storage unit 810, a hardware performance evaluation unit 811, a content unpack unit 812, a content decrypting unit 813, a content storing unit 814, and a content playback unit 815.

The hardware-grade/decryption correspondence table storage unit 810 stores a hardware-grade/decryption correspondence table that associates a plurality of hardware grades with a plurality of pairs that each consist of a decryption key bit number and a decryption algorithm name. Each hardware grade is associated with a different pair and indicates hardware performance of a content playback device.

More specifically, each hardware grade in this table is determined by whether hardware dedicated to the decryption of an encrypted content, that is, a copyright protection system is provided to a content playback device, and if so, decryption capability of the copyright protection system.

These hardware grades are expressed in descending order as

5

10

15

20

Grades A, B, and C. For instance, Grade A indicates that a copyright protection system is provided to a content playback device, and Grades B and C indicate that a copyright protection system is not provided to a content playback device. FIG. 17C shows the table stored in the hardware-grade/decryption correspondence table storage unit 810. In the table, Grade A is associated with a pair of a 1024-bit decryption key and the RSA decryption algorithm, Grade B with a pair of a 512-bit decryption key and the RSA decryption algorithm, and Grade C with a pair of a 56-bit decryption key and the DES decryption algorithm.

5

10

15

20

25

The hardware performance evaluation unit 811 evaluates hardware performance of the content playback device in which this unit is provided to calculate its grade by detecting whether the content playback device includes hardware dedicated to the decryption of an encrypted content and by calculating a memory size of the hardware that can be used for the decryption.

The content unpack unit 812 receives a content package from the content packaging unit 700 and unpacks the content package to obtain the retail content 710 and the sample content 711.

The content decrypting unit 813 refers to the hardware-grade/decryption correspondence table first and selects a decryption key and a decryption algorithm corresponding to the grade calculated by the hardware performance evaluation unit 811. Second, the content

decrypting unit 813 separates only a content that can be decrypted by the selected decryption key and decryption algorithm out of the contents unpacked by the content unpack unit 812. Third, the content decrypting unit 813 decrypts the separated content using the decryption key and the decryption algorithm.

The following specifically explains decryption by the content decrypting unit 813 of the content playback device 801 which is a high-grade consumer playback device. content playback device 801 has dedicated hardware for the decryption, the hardware performance evaluation unit 811 assigns the playback device 801 a grade corresponding to Grade A in the table in the hardware-grade/decryption table storage unit 810. Following this, the content decrypting unit 813 refers to the table to select a pair associated with Grade A. As Grade A is associated with a pair of a 1024-bit decryption key and the RSA decryption algorithm, the content decrypting unit 813 selects this pair. After finding that the retail content 710 is encrypted by a 1024-bit encryption key and the RSA encryption algorithm, the content decrypting unit 813 separates only the retail content 710 from the contents unpacked by the content unpack unit 812. Following this, the content decrypting unit 813 decrypts the separated retail content 710 using the RSA decryption algorithm and the decryption key that has been provided in advance.

On the other hand, if a playback device is the content playback device 806 which is a personal computer that

5

10

15

20

decrypts the content by running decryption software on general-purpose hardware, the hardware performance evaluation unit 811 assigns a grade corresponding to Grade C in the table in the hardware-grade/decryption table storage unit The content decrypting unit 813 then refers to the table to select a pair associated with Grade C. As Grade C is associated with a pair of a 56-bit decryption key and the DES decryption algorithm, the content decrypting unit 813 selects this pair. After finding that the sample content 711 is encrypted by a 56-bit encryption key and the DES encryption algorithm, the content decrypting unit 813 separates only the sample content 711 from the contents unpacked by the content unpack unit 812. Following this, the content decrypting unit 813 extracts an encryption key attached to the sample content 711 from the content package to obtain the encryption key as a decryption key, which is possible because the DES algorithm is a common key system. The content decrypting unit 813 decrypts the separated sample content 711 using the extracted encryption key as the decryption key and the RSA decryption algorithm.

The content storage unit 814 stores a content decrypted by the content decrypting unit 813.

The content playback unit 815 reproduces the content that has been temporarily stored in the content storage unit 814.

As has been described, the content packaging device of the present embodiment generates the retail content 710

5

10

15

20

and the sample content 711, wherein the sample content 711 has a reproduction quality lower than the retail content 710, and encrypts the retail content 710 and the sample content 711 with different encryption methods having different security levels. The content packaging device then packages the retail content 710 and the sample content 711 as a content package and transmits the content package to content playback devices of different types. As a result, each content playback device can select a content from the transmitted content package according to the hardware performance of the content playback device. Accordingly, a content provider can transmit contents of differing qualities without needing to consider the different reproduction conditions of target content playback devices with the copyrights of the contents being protected.

Sixth Embodiment

The sixth embodiment relates to a content packaging device that is a modification of the content packaging device of the fifth embodiment. The major difference between the two lies in that the content encoding unit 706 in the present embodiment encodes the start of a production to be distributed to generate a sample content and the rest of the distribution subject to generate a main content. The content packaging unit 709 packages the encoded main content and sample content to produce a content package.

FIG. 19 shows constructions of the content packaging

5

10

15

20

device 700 and content playback devices 801-809.

5

10

15

20

25

The content encrypting unit 708 assigns a predetermined grade to the sample content and a grade higher than the predetermined grade to the main content. The content encrypting unit 708 then refers to a table similar to the second correspondence table of the fifth embodiment and encrypts the graded content using an encryption key and an encryption algorithm that are associated with the assigned grade. As stated above, the content packaging unit 709 then packages the encrypted main content and sample content to generate the content package. FIG. 20 shows the content package packaged by the content packaging unit 709 of the present embodiment.

According to the present embodiment, a content package that has a smaller size than a content package in the fifth embodiment can be transmitted via each distribution method and recorded onto a recording medium such as a hard disk or a CD-ROM using smaller storage areas.

Although the present invention has been described based on the first to sixth embodiments, these embodiments are only examples by which optimal effects of the invention can be obtained. The present invention therefore can be modified without changing its essence. The following describes modifications that are considered to be representative.

(a) In the first to fourth embodiments, the purchased-copy recording medium 650 is described as an optical memory disc

such as a DVD-RAM, though the purchased-copy recording medium 650 may alternatively be a hard disk or a semiconductor memory.

- (b) The third and the fourth embodiments state that the fee information storage unit 312 is achieved by a hard disk of a personal computer, though the fee information storage unit 312 is not limited to such and may be achieved by a recording medium such as an IC (Integrated Circuit) card.
- (c) The digital data recording device 500 described in the first to fourth embodiments is described as being achieved by a personal computer used in the home, although the digital data recording device 500 may be installed in a shop such as a record shop.
 - (d) Although the first to fourth embodiments have been described assuming that information distributed by a provider is a music content, the information to be distributed is not limited to a music content. It is naturally possible to distribute an image content, text data, or a combination of an image content and text data.
- (e) In the fifth embodiment, the retail content 710 and the sample content 711, which are two types of contents having different reproduction qualities, are generated and distributed, although it is possible to generate and distribute three or more types of contents having different reproduction qualities.
 - (f) The procedures described in the first to sixth embodiments such as those shown in the flowchart of FIGs. 10,

5

12, and 14 may be written as programs in machine language and recorded onto a recording medium to be distributed and sold. Such a recording medium may be an IC card, an optical memory disc, a floppy disc, or the like. By installing the above programs into a general-purpose computer and by having the general-purpose computer execute the installed programs, functions of the digital data recording devices and the digital playback device of the present invention can be achieved.

Although the present invention has been fully described by way of examples with reference to accompanying drawings, it is to be noted that various changes and modifications will be apparent to those skilled in the art. Therefore, unless such changes and modifications depart from the scope of the present invention, they should be construed as being included therein.

Industrial Applicability

5

10

15

20

25

The recording medium of the present invention is useful for selling contents in a convenient way and at a low price, and therefore has industrial applicability in the music industry and the movie industry that produce and sell such a content.

The digital data recording device and the digital data playback device of the present invention have industrial applicability in the manufacturing industry for a device that records the above content onto a recording medium, a device

that reproduces a content recorded on a recording medium, and a device that records a content from a recording medium onto another recording medium.

Claims

- 1 1. A recording medium that stores:
- 2 a first content;
- a second content that has been encrypted according to
- 4 a first cryptosystem; and
- a header that has been encrypted according to a
- 6 second cryptosystem and contains a first key information for
- decrypting the second content, the header being attached to
- 8 the second content,
- 9 wherein the second cryptosystem is characterized by
- using a second key information for decryption, the second key
- information being provided to a predetermined device in
- 12 advance.
- 1 2. The recording medium of Claim 1,
- wherein the predetermined device is capable of
- 3 charging a fee,
- 4 wherein the header includes
- 5 use limitation information showing whether
- 6 reproduction of the second content is permitted, a number of
- 7 times reproduction is permitted, whether recording of the
- 8 second content onto another recording medium is permitted,
- 9 and a number of times recording is permitted and
- 10 fee information which shows, when reproduction of the
- second content is permitted, a fee to be charged by the
- 12 predetermined device for the reproduction of the second

13 content and when recording of the second content onto another

- 14 recording medium is permitted, a fee to be charged by the
- 15 predetermined device for the recording.
 - 1 3. The recording medium of Claim 1,
 - wherein the predetermined device is capable of
 - 3 charging a fee,
 - 4 wherein the header includes
- 5 use limitation information showing whether
- 6 reproduction of the second content is permitted, a period
- during which reproduction is permitted, whether recording of
- 8 the second content onto another medium is permitted, and a
- 9 period during which recording is permitted and
- 10 fee information which shows, when reproduction of the
- 11 second content is permitted, a fee to be charged by the
- 12 predetermined device for the reproduction of the second
- 13 content and when recording of the second content onto another
- 14 recording medium is permitted, a fee to be charged by the
- 15 predetermined device for the recording.
- 1 4. The recording medium of Claim 1, wherein the first
- 2 content is encrypted using identification information unique
- 3 to the recording medium.
- 1 5. A digital data recording device that records digital
- 2 data containing at least one content onto a recording medium,
- 3 comprising:

storage means for storing at least one content to be recorded onto the recording medium;

- selecting means for selecting a content whose
 reproduction and/or recording onto another recording medium
- 8 need to be charged as a superdistribution content;
- first encrypting means for encrypting the selected
 superdistribution content according to a first cryptosystem
 to prevent the superdistribution content from being
 reproduced and from being recorded onto another recording
 medium before a fee has been charged;
- generating means for generating a superdistribution header containing key information to decrypt the encrypted superdistribution content;
- second encrypting means for encrypting the generated
 superdistribution header according to a second cryptosystem
 that ensures higher security than the first cryptosystem and
 for attaching the encrypted superdistribution header to the
 encrypted superdistribution content; and
- recording means for recording the encrypted
 superdistribution content and the encrypted superdistribution
 header onto the recording medium.
- 6. The digital data recording device of Claim 5, further
 comprising
- obtaining means for obtaining identification

 information unique to the recording medium from the recording
- 5 medium and

third encrypting means for encrypting contents other

- 7 than the superdistribution content using the obtained
- 8 identification information before the other contents are
- 9 recorded onto the recording medium.
- 1 7. A digital data recording device that records digital data
- 2 containing a superdistribution content from a first recording
- medium onto a second recording medium, the superdistribution
- 4 content having been encrypted to prevent recording of the
- 5 superdistribution content onto another recording medium
- 6 before the recording is charged, the digital data recording
- 7 device comprising:
- loading means for loading one of the first recording
- 9 medium and the second medium into the digital data recording
- 10 device;
- reading means for reading, when the loaded recording
- medium is the first recording medium, the superdistribution
- content from the loaded first recording medium;
- displaying means for displaying a fee for the
- 15 recording to a user;
- receiving means for receiving an input from the user;
- decrypting means for decrypting, if the received
- input indicates that the user agrees to pay the fee, the read
- 19 superdistribution content;
- charging means for charging the user the fee if the
- received input indicates that the user agrees to pay the fee;
- 22 and

recording means for recording, when the loaded

- recording medium is the second recording medium, the
- decrypted superdistribution content onto the second
- 26 recording medium.
- 1 8. The digital data recording device of Claim 7, further
- 2 comprising
- 3 extracting means for extracting, if the loading means
- 4 loads the second recording medium, identification information
- 5 unique to the second recording medium from the second
- 6 recording medium and
- 7 re-encrypting means for re-encrypting the decrypted
- 8 superdistribution content using the extracted identification
- 9 information as an encryption key
- 10 wherein the recording means records the re-encrypted
- 11 superdistribution content onto the second recording medium
- 12 whose identification information has been extracted.
- 1 9. A playback device that reproduces digital data
- 2 containing at least one superdistribution content written on
- 3 a recording medium, the superdistribution content having been
- 4 encrypted to prevent the superdistribution content from being
- 5 reproduced before a fee is charged, the playback device
- 6 comprising:
- 1 loading means for loading the recording medium into
- 8 the playback device;
- 9 reading means for reading the superdistribution

10 content from the loaded recording medium;

11 displaying means for displaying a reproduction fee to

- 12 a user;
- receiving means for receiving an input from the user;
- decrypting means for decrypting, if the received
- input indicates that the user agrees to pay the reproduction
- 16 fee, the read superdistribution content;
- 17 charging means for charging the user the reproduction
- 18 fee if the received input indicates that the user agrees to
- 19 pay the reproduction fee; and
- reproducing means for reproducing the decrypted
- 21 superdistribution content.
- 1 10. A content packaging device that produces a package
- 2 containing a plurality of contents, comprising:
- encoding means for encoding, using different methods,
- a production to be distributed to generate a plurality of
- 5 contents that each have a different reproduction quality;
- grading means for giving a grade to each of the
- generated contents according to a reproduction quality of the
- 8 content;
- table storing means for storing a table containing a
- 10 plurality of grades and a plurality of pairs, each pair
- 11 consisting of an encryption key information and an encryption
- 12 algorithm information and being associated with a different
- grade out of the grades given by the grading means;
- encrypting means for referring to the table and

encrypting each content given a grade using an encryption key

- 16 and an encryption algorithm indicated by a pair associated
- 17 with the grade; and
- 18 packaging means for packaging the plurality of
- 19 contents that have been encrypted to produce the package.
- 1 11. The content packaging device of Claim 10, wherein the
- 2 table is arranged so that grades which represent high
- 3 reproduction quality are associated with pairs of information
- 4 that represent highly secure encryption.
- 1 12. A content packaging device that produces a package
- 2 containing a plurality of contents, comprising:
- encoding means for encoding, using different methods,
- 4 a production to be distributed so that a part of the
- 5 production is encoded as a sample content and a remaining
- 6 part of the production as a main content;
- grading means for giving a predetermined grade to the
- 8 sample content and a higher grade to the main content;
- 9 table storing means for storing a table containing
- the predetermined grade, the higher grade, and two pairs,
- each pair consisting of an encryption key information and an
- encryption algorithm information, one pair being associated
- with the predetermined grade, another pair being associated
- 14 with the higher grade;
- encrypting means for encrypting, after referring to
- the table, the graded sample content using an encryption key

and an encryption algorithm indicated by the pair and
encrypting the graded main content using an encryption key
and an encryption algorithm indicated by the other pair; and
packaging means for packaging the encrypted sample
content and the encrypted main content to produce the
package.

- 1 13. A content playback device that reproduces a content
 2 extracted from a package, comprising:
- evaluation means for evaluating a hardware

 performance of the content playback device to calculate a

 grade indicating the hardware performance;

table storing means for storing a table containing a plurality of grades and a plurality of pairs, each pair consisting of a decryption key information and a decryption algorithm information and being associated with a different grade out of the grades calculated by the evaluation means;

obtaining means for obtaining from a periphery of the content playback device, the package containing a plurality of contents that have each been encrypted using a different cryptosystem; and

decrypting means for referring to the table to select a pair associated with the calculated grade, extracting from the obtained package the content that can be decrypted using a decryption key and a decryption algorithm indicated by the selected pair, and decrypting the extracted content.

1 14. A content playback device that reproduces either a) a 2 sample content or b) a main content that are contained in a 3 package, wherein the sample content has been generated by 4 encoding and encrypting a part of a production to be 5 distributed and the main content has been generated by 6 encoding and encrypting a remaining part of the production, 7 wherein the sample content is encrypted using an encryption 8 key and an encryption algorithm that provide lower security 9 than an encryption key and an encryption algorithm used to 10 encrypt the main content, the content playback device 11 comprising: 12 evaluation means for evaluating a hardware 13 performance of the content playback device to calculate a 14 grade indicating the hardware performance, the calculated 15 grade being either a low grade or a high grade; 16 table storing means for storing a table associating 17 the low grade with a decryption key and a decryption 18 algorithm that are capable of decrypting the sample content, 19 and associating the high grade with a decryption key and a 20 decryption algorithm that are capable of decrypting the main 21 content; 22 obtaining means for obtaining from a periphery of the 23 content playback device, the package containing the sample 24 content and the main content; and 25 decrypting means for referring to the table to select 26 the decryption key and decryption algorithm that are 27 associated with the calculated grade, extracting from the

- obtained package either the sample content or the main
- content that can be decrypted using the selected decryption
- key and decryption algorithm, and decrypting the extracted
- 31 content.
- 1 15. A recording medium that stores
- a sample content encrypted using a first encryption
- key and a first encryption algorithm and
- a retail content that has a reproduction quality
- 5 higher than the sample content and is encrypted using a
- 6 second encryption key and a second encryption algorithm that
- 7 ensure higher security than the first encryption key and the
- 8 first encryption algorithm.
- 1 16. A recording medium that stores
- 2 a sample content that is generated by encoding a part
- of a production to be distributed and by encrypting the
- 4 encoded part with a first encryption key and a first
- 5 encryption algorithm and
- a main content that is generated by encoding a
- 7 remaining part of the production and by encrypting the
- 8 encoded remaining part with a second encryption key and a
- 9 second encryption algorithm that ensure higher security than
- 10 the first encryption key and the first encryption algorithm.
- 1 17. A system comprising a content packaging device that
- 2 produces a package containing a plurality of contents and at

least one content playback device that reproduces a content

3

4 extracted from the package, 5 wherein the content packaging device includes: 6 encoding means for encoding, using different methods, 7 a production to be distributed to generate a plurality of 8 contents that each have a different reproduction quality; 9 grading means for giving a grade to each of the 10 generated contents according to a reproduction quality of the 11 content; 12 first table storing means for storing a first table 13 containing a plurality of grades and a plurality of pairs, 14 each pair consisting of an encryption key information and an 15 encryption algorithm information and being associated with a 16 different grade out of the grades given by the grading means; 17 encrypting means for referring to the first table and 18 encrypting each content given a grade using an encryption key 19 and an encryption algorithm indicated by a pair associated 20 with the grade; and 21 packaging means for packaging the plurality of 22 contents that have been encrypted to produce the package, 23 wherein each content playback device includes: evaluation means for evaluating a hardware 24 25 performance of the content playback device to calculate a 26 grade indicating the hardware performance; 27 second table storing means for storing a second table 28 containing a plurality of grades and a plurality of pairs, 29 each pair consisting of a decryption key information and a

30 decryption algorithm information and being associated with a 31 different grade out of the grades calculated by the 32 evaluation means;

- 33 obtaining means for obtaining from a periphery of the 34 content playback device, the package packaged by the 35 packaging means; and
- 36 decrypting means for referring to the second table to 37 select a pair associated with the calculated grade, 38 extracting from the obtained package the content that can be 39 decrypted using a decryption key and a decryption algorithm 40 indicated by the selected pair, and decrypting the extracted 41 content.
- 1 A computer-readable recording medium that stores a 2 recording program to have a computer record digital data . 3 containing at least one content onto a writeable medium, 4
- wherein the computer includes a storing unit for 5 storing at least one content to be recorded onto the writeable medium and
- 7 wherein the recording program includes:
- 8 a selecting step for selecting a content whose 9 reproduction and/or recording onto a writeable medium need to 10 be charged as a superdistribution content;
- 11 a first encrypting step for encrypting the selected 12 superdistribution content according to a first cryptosystem 13 to prevent the superdistribution content from being 14 reproduced and from being recorded onto a writeable medium

6

- 15 before a fee has been charged;
- a generating step for generating a superdistribution
- 17 header containing key information to decrypt the encrypted
- 18 superdistribution content;
- a second encrypting step for encrypting the generated
- 20 superdistribution header according to a second cryptosystem
- 21 that ensures higher security than the first cryptosystem and
- for attaching the encrypted superdistribution header to the
- encrypted superdistribution content; and
- 24 a recording step for recording the encrypted
- superdistribution content and the encrypted superdistribution
- header onto the writeable medium.
 - 1 19. A computer-readable recording medium that stores a
 - 2 recording program to have a computer record digital data
 - 3 containing a superdistribution content from a first recording
 - 4 medium onto a second recording medium, the superdistribution
 - 5 content having been encrypted to prevent recording of the
 - 6 superdistribution content onto another recording medium
- before the recording is charged,
- 8 wherein the computer includes a loading unit for
- 9 loading one of the first recording medium and the second
- 10 medium and
- wherein the recording program includes:
- a reading step for reading, when the loaded recording
- medium is the first recording medium, the superdistribution
- content from the loaded first recording medium;

a displaying step for displaying a fee for the recording to a user;

- a receiving step for receiving an input from the
- user;
- a decrypting step for decrypting, if the received
- input indicates that the user agrees to pay the fee, the read
- 21 superdistribution content;
- a charging step for charging the user the fee if the
- received input indicates that the user agrees to pay the fee;
- 24 and
- a recording step for recording, when the loaded
- recording medium is the second recording medium, the
- 27 decrypted superdistribution content onto the second recording
- 28 medium.
- 1 20. A computer-readable recording medium that stores a
- 2 playback program to have a computer reproduce digital data
- 3 containing at least one superdistribution content written on
- 4 another recording medium, the superdistribution content
- having been encrypted to prevent the superdistribution
- 6 content from being reproduced before a fee is charged,
- 7 wherein the computer includes a loading unit for
- 8 loading the another recording medium and
- 9 wherein the playback program includes:
- a reading step for reading the superdistribution
- 11 content from the loaded recording medium;
- a displaying step for displaying a reproduction fee

- 13 to a user;
- 14 a receiving step for receiving an input from the
- user;
- a decrypting step for decrypting, if the received
- input indicates that the user agrees to pay the reproduction
- 18 fee, the read superdistribution content;
- a charging step for charging the user the
- 20 reproduction fee if the received input indicates that the
- user agrees to pay the reproduction fee; and
- a reproducing step for reproducing the decrypted
- 23 superdistribution content.
- 1 21. A computer-readable recording medium that stores a
- 2 content packaging program to have a computer produce a
- package containing a plurality of contents,
- 4 wherein the computer includes a storing unit for
- 5 storing a table containing a plurality of grades and a
- 6 plurality of pairs, each pair consisting of an encryption key
- 7 information and an encryption algorithm information and being
- 8 associated with a different grade and
- 9 wherein the content packaging program includes:
- an encoding step for encoding, using different
- 11 methods, a production to be distributed to generate a
- 12 plurality of contents that each have a different reproduction
- 13 quality;
- a grading step for giving a grade to each of the
- generated contents according to a reproduction quality of the

16 content;

DNSDOCID: -WO MOSTOSTAS I -

an encrypting step for referring to the table and
encrypting each content given a grade using an encryption key
and an encryption algorithm indicated by a pair associated
with the grade; and

21 a packaging step for packaging the plurality of 22 contents that have been encrypted to produce the package.

22. A computer-readable recording medium that stores a content packaging program to have a computer produce a package containing a plurality of contents,

wherein the computer includes a storage unit for storing a table containing a predetermined grade, a higher grade, and two pairs, each pair consisting of an encryption key information and an encryption algorithm information, one pair being associated with the predetermined grade, another pair being associated with the higher grade and

an encoding step for encoding, using different methods, a production to be distributed so that a part of the production is encoded as a sample content and a remaining part of the production as a main content;

wherein the content packaging program includes:

a grading step for giving the predetermined grade to the sample content and the higher grade to the main content;

an encrypting step for encrypting, after referring to the table, the graded sample content using an encryption key and an encryption algorithm indicated by the pair and

encrypting the graded main content using an encryption key

- 21 and an encryption algorithm indicated by the other pair; and
- a packaging step for packaging the encrypted sample
- 23 content and the encrypted main content to produce the
- 24 package.
 - 1 23. A computer-readable recording medium that stores a
 - 2 playback program to have a computer reproduce a content
- 3 extracted from a package,
- 4 wherein the computer includes a storing unit for
- 5 storing a table containing a plurality of grades and a
- 6 plurality of pairs, each pair consisting of a decryption key
- 7 information and a decryption algorithm information and being
- 8 associated with a different grade and
- 9 wherein the playback program includes:
- 10 an evaluation step for evaluating a hardware
- 11 performance of the computer to calculate a grade indicating
- 12 the hardware performance;
- an obtaining step for obtaining from a periphery of
- 14 the computer, the package containing a plurality of contents
- 15 that have each been encrypted using a different cryptosystem;
- 16 and
- a decrypting step for referring to the table to
- select a pair associated with the calculated grade,
- extracting from the obtained package the content that can be
- decrypted using a decryption key and a decryption algorithm
- indicated by the selected pair, and decrypting the extracted

22 content.

24. A recording method used by a computer to record digital 1 2 data containing at least one content onto a recording medium, 3 the computer including a storing unit for storing at least 4 one content to be recorded onto the recording medium, 5 wherein the recording method includes: 6 a selecting step for selecting a content whose 7 reproduction and/or recording onto a recording medium need to 8 be charged as a superdistribution content; 9 a first encrypting step for encrypting the selected 10 superdistribution content according to a first cryptosystem 11 to prevent the superdistribution content from being 12 reproduced and from being recorded onto a recording medium 13 before a fee has been charged; 14 a generating step for generating a superdistribution 15 header containing key information to decrypt the encrypted 16 superdistribution content; 17 a second encrypting step for encrypting the generated 18 superdistribution header according to a second cryptosystem 19 that ensures higher security than the first cryptosystem and 20 for attaching the encrypted superdistribution header to the 21 encrypted superdistribution content; and 22 a recording step for recording the encrypted

superdistribution content and the encrypted superdistribution

header onto the recording medium.

23

24

1 25. A recording method used by a computer to record digital

- 2 data containing a superdistribution content from a first
- 3 recording medium onto a second recording medium, the
- 4 superdistribution content having been encrypted to prevent
- 5 recording of the superdistribution content onto another
- 6 recording medium before the recording is charged, wherein the
- 7 computer includes a loading unit for loading one of the first
- 8 recording medium and the second medium,
- 9 wherein the recording method includes:
- a reading step for reading, when the loaded recording
- 11 medium is the first recording medium, the superdistribution
- 12 content from the loaded first recording medium;
- a displaying step for displaying a fee for the
- 14 recording to a user;
- a receiving step for receiving an input from the
- 16 user;
- a decrypting step for decrypting, if the received
- input indicates that the user agrees to pay the fee, the read
- 19 superdistribution content;
- a charging step for charging the user the fee if the
- 21 received input indicates that the user agrees to pay the fee;
- 22 and
- a recording step for recording, when the loaded
- recording medium is the second recording medium, the
- decrypted superdistribution content onto the second recording
- 26 medium.

DUEDOCIDE ANO DOSTORTAS LA

(

1 26. A playback method used by a computer to reproduce

- digital data containing at least one superdistribution
- 3 content written on a recording medium, the superdistribution
- 4 content having been encrypted to prevent the
- 5 superdistribution content from being reproduced before a fee
- is charged, the computer including a loading unit for loading
- 7 the recording medium,
- 8 wherein the playback method includes:
- a reading step for reading the superdistribution
- 10 content from the loaded recording medium;
- a displaying step for displaying a reproduction fee
- 12 to a user;
- a receiving step for receiving an input from the
- 14 user;
- a decrypting step for decrypting, if the received
- input indicates that the user agrees to pay the reproduction
- 17 fee, the read superdistribution content;
- 18 a charging step for charging the user the
- reproduction fee if the received input indicates that the
- user agrees to pay the reproduction fee; and
- a reproducing step for reproducing the decrypted
- 22 superdistribution content.
 - 1 27. A content packaging method used by a computer to produce
 - a package containing a plurality of contents, the computer
 - including a storing unit for storing a table containing a
- 4 plurality of grades and a plurality of pairs, each pair

5 consisting of an encryption key information and an encryption

- 6 algorithm information and being associated with a different
- 7 grade,
- 8 wherein the content packaging method includes:
- an encoding step for encoding, using different
- 10 methods, a production to be distributed to generate a
- 11 plurality of contents that each have a different reproduction
- 12 quality;
- a grading step for giving a grade to each of the
- 14 generated contents according to a reproduction quality of the
- 15 content;
- an encrypting step for referring to the table and
- encrypting each content given a grade using an encryption key
- and an encryption algorithm indicated by a pair associated
- 19 with the grade; and
- a packaging step for packaging the plurality of
- 21 contents that have been encrypted to produce the package.
 - 1 28. A content packaging method used by a computer to produce
 - 2 a package containing a plurality of contents, the computer
- 3 including a storage unit for storing a table containing a
- 4 predetermined grade, a higher grade, and two pairs, each pair
- 5 consisting of an encryption key information and an encryption
- 6 algorithm information, one pair being associated with the
- 7 predetermined grade, another pair being associated with the
- 8 higher grade,
- 9 wherein the content packaging method includes:

10 an encoding step for encoding, using different 11 methods, a production to be distributed so that a part of the 12 production is encoded as a sample content and a remaining 13 part of the production as a main content; 14 a grading step for giving the predetermined grade to 15 the sample content and the higher grade to the main content; 16 an encrypting step for encrypting, after referring to 17 the table, the graded sample content using an encryption key 1.8 and an encryption algorithm indicated by the pair and 19 encrypting the graded main content using an encryption key 20 and an encryption algorithm indicated by the other pair; and 21 a packaging step for packaging the encrypted sample 22 content and the encrypted main content to produce the 23 package.

- 29. A content playback method used by a computer to
 reproduce a content extracted from a package, the computer
 including a storing unit for storing a table containing a
 plurality of grades and a plurality of pairs, each pair
 consisting of a decryption key information and a decryption
 algorithm information and being associated with a different
 grade,
- wherein the content playback method includes:

 an evaluation step for evaluating a hardware

 performance of the computer to calculate a grade indicating
 the hardware performance;
- an obtaining step for obtaining from a periphery of

13 the computer, the package containing a plurality of contents that have each been encrypted using a different cryptosystem; 14 15 and 16 a decrypting step for referring to the table to 17 select a pair associated with the calculated grade, 18 extracting from the obtained package the content that can be 19 decrypted using a decryption key and a decryption algorithm 20 indicated by the selected pair, and decrypting the extracted 21 content.

RNSDOCID- -WO MOSINETAS I S

FIG. 1A

RETAIL RECORDING MEDIUM (TYPE 1)




FIG. 1B




FIG. 2A
RETAIL RECORDING MEDIUM (TYPE 2)




FIG. 2B FUNCTIONAL STRUCTURE




FIG. 3








FIG. 5


INFORMATION	CONTENT
PERMITTED NUMBER OF PLAYS	LIMIT ON NUMBER OF TIMES TO PLAY SUPERDISTRIBUTION CONTENT
DIGITAL OUTPUT PERMISSION	WHETHER SUPERDISTRIBUTION CONTENT 10 CAN BE DIGITALLY OUTPUTTED, AND IF SO, LIMIT ON NUMBER OF TIMES FOR DIGITAL OUTPUT
PLAYBACK PERMISSION EXPIRY TIME	TIME WHEN PLAYBACK PERMISSION EXPIRES
PLAYBACK PERMISSION EXPIRY DATE	DATE WHEN PLAYBACK PERMISSION EXPIRES
FEE INFORMATION	PURCHASE PRICE AND PLAYBACK PRICE FOR SUPERDISTRIBUTION CONTENT



6/20

WO 00/21087












FIG. 8








DISCOULT - WILL WAS TOO THE T














FIG. 17A

CONTENT GRADE	QUANTIZATION BIT NUMBER	SAMPLING FREQUENCY
GRADE 1	24 bit	96 KHz
GRADE 2	16 bit	44.1 KHz
GRADE 3	16 bit	22.05 KHz


FIG. 17B


CONTENT GRADE	ENCRYPTION KEY BIT NUMBER	ENCRYPTION ALGORITHM
GRADE 1	1024 bit	RSA
GRADE 2	512 bit	RSA
GRADE 3	56 bit	DES

FIG. 17C

HARDWARE GRADE	DECRYPTION KEY BIT NUMBER	DECRYPTION ALGORITHM
GRADE A	1024 bit	RSA
GRADE B	512 bit	RSA
GRADE C	56 bit	DES


FIG. 18





19/20

FIG. 20



PCT

656-2311 (JP).

576-0065 (JP).

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification /:		(11) International Publication Number: WO 00/21087
G11B 20/00, H04N 7/167, 7/26, 5/913, G06F 1/00	A3	(43) International Publication Date: 13 April 2000 (13.04.00)
(21) International Application Number: PCT/JP (22) International Filing Date: 7 October 1999 (Toyosaki 3-chome, Kita-ku, Osaka-shi, Osaka 531-0072
(30) Priority Data: 10/286177 8 October 1998 (08.10.98) 10/297159 19 October 1998 (19.10.98) 10/297142 19 October 1998 (19.10.98)		(81) Designated States: AU, CN, ID, KR, MX, VN, European patent (DE, FR, GB, NL).
(71) Applicant: MATSUSHITA ELECTRIC INDUSTRI LTD. [JP/JP]; 1006, OazaKadoma, Kadoma-sh 571-8501 (JP).		, i
(72) Inventors: TAGAWA, Kenji; 5-305, Myoukenzaka : Katano-shi, Osaka 576-0021 (JP). MINAMI, N 2349-1, Kuruma, Higashiuracho, Tsuna-gun,	Masatak	a;

(54) Title: DEVICE AND METHOD FOR RECORDING, REPRODUCING AND PROCESSING DATA

KOZUKA, Masayuki; 19-1-1207,

Ishizuminamimachi, Neyagawa-shi, Osaka 572-0024 (JP). AOYAMA, Shoichi; 24-301, Higashiyama 2-chome, Hirakata-shi, Osaka 573-1114 (JP). TOKUDA, Katsumi; 5-15, Niina, Mino-shi, Osaka 562-0005 (JP). HIRATA, Noboru; 2-1-16-505, Mukaida, Katano-shi, Osaka



(57) Abstract

A recording medium stores a retail content and a superdistribution content that is encrypted according to a block cryptosystem. A superdistribution header is attached to the superdistribution content and encrypted according to a public key cryptosystem. The superdistribution header contains a decryption key used to decrypt the block cryptosystem. The public key cryptosystem is characterized by using a device connected to a communication network for decryption. The decryption is performed when the recording medium is loaded into the device with a fee being charged via the communication network.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LŤ	Lithuania	SK	Slovakia
AT	Austria .	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Trinidad and Tobago Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	
BY	Belarus	IS	Iceland	MW	Malawi.	US	Uganda
CA	Canada	IT ·	Italy	MX	Mexico	· UZ	United States of America
CF	Central African Republic	JP	Japan	NE.	Niger	VN	Uzbekistan
CG	Congo	KE	Kenya	NL	Netherlands		Viet Nam
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	YU	Yugoslavia
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand	zw	Zimbabwe
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT			
CU	Cuba	KZ	Kazakstan	RO	Portugal Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	u	Liechtenstein	SD			
DK	Denmark	LK	Sri Lanka	SE	Sudan		
EE	Estonia	LR	Liberia		Sweden		
			Liucia	SG	Singapore		•

Int tional Application No PCT/JP 99/05516

PCT/JP 99/05516 A. CLASSIFICATION OF SUBJECT MATTER IPC 7 G11B20/00 H04N H04N7/167 H04N7/26 H04N5/913 G06F1/00 According to International Patent Classification (IPC) or to both national classification and IPC B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) G11B H04N G06F Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practical, search terms used) WPI Data, INSPEC C. DOCUMENTS CONSIDERED TO BE RELEVANT Category 5 Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No. EP 0 672 991 A (INST OF SYSTEMS SCIENCE) 1-6,18,X 20 September 1995 (1995-09-20) 24 page 4, line 30 -page 5, line 47; figures 7-9,19 Α 20,25,26 2-11 EP 0 798 892 A (IBM) 1-3,5,7,X 1 October 1997 (1997-10-01) 9.18-20. 24-26 column 6, line 44 -column 7, line 25 column 7, line 55 -column 8, line 29 column 10, line 23 - line 36 column 12, line 32 - line 43 column 13, line 18 -column 17, line 10 Further documents are listed in the continuation of box C. Patent family members are listed in annex. Special categories of cited documents : "T" tater document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the "A" document defining the general state of the art which is not considered to be of particular relevance invention *E* earlier document but published on or after the international "X" document of particular relevance; the claimed invention filing date cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such document is combined with one or more other such document "O" document referring to an oral disclosure, use, exhibition or ments, such combination being obvious to a person skilled other means in the art. document published prior to the international filing date but later than the priority date claimed "&" document member of the same patent family Date of the actual completion of the international search Date of mailing of the international search report 1 7. 08. 2000 13 July 2000 Name and mailing address of the ISA Authorized officer

Form PCT/ISA/210 (second sheet) (July 1992)

Fax: (+31-70) 340-3016

European Patent Office, P.B. 5818 Patentlaan 2 NL – 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,

Brunet, L

5

Int .tional Application No PCT/JP 99/05516

(Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	PCT/JP 99/05516
ategory °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
х	MARC A. KAPLAN: "IBM Cryptolopes, SuperDistribution and Digital Rights Management" WORKING PAPER, V.1.3.0, 'Online! 30 December 1996 (1996-12-30), pages 1-7, XP002132994 Retrieved from the Internet: <url:http: crypap.html="" cryptolope-docs="" k="" kaplan="" people="" www.research.ibm.com=""></url:http:>	1-3,5,7, 9,18-20, 24-26
4	'retrieved on 2000-03-10! the whole document	10-12, 15,16
X	MORI R ET AL: "SUPERDISTRIBUTION: AN ELECTRONIC INFRASTRUCTURE FOR THE ECONOMY OF THE FUTURE" JOHO SHORI GAKKAI RONBUNSHI - TRANSACTIONS OF INFORMATION PROCESSING SOCIETY OF JAPAN, JP, TOKYO, vol. 38, no. 7, 1 July 1997 (1997-07-01), pages 1465-1472, XP002072402 ISSN: 0387-5806 the whole document	7,9,19, 20,25,26
X A	EP 0 853 315 A (VICTOR COMPANY OF JAPAN) 15 July 1998 (1998-07-15) column 5, line 53 -column 10, line 19; figures 3-5	7,9,19, 20,25,26 4,6,8
X A	EP 0 766 471 A (TOKYO SHIBAURA ELECTRIC CO) 2 April 1997 (1997-04-02) column 8, line 4 -column 10, line 1; claims 7-18; figures 3,4	10-12, 15,16 13,14, 17, 21-23, 27-29
X	"MULTIMEDIA MIXED OBJECT ENVELOPES SUPORTING A GRADUATED FEE SCHEME VIA ENCRYPTION" IBM TECHNICAL DISCLOSURE BULLETIN, US, IBM CORP. NEW YORK, vol. 37, no. 3, 1 March 1994 (1994-03-01), pages 413-417, XP000441522 ISSN: 0018-8689	10-12
A	the whole document	13-17, 21-23, 27-29
A	EP 0 561 685 A (FUJITSU LTD) 22 September 1993 (1993-09-22) cited in the application column 6, line 13 - line 37 column 8, line 53 -column 9, line 34; figures 7,8,10,11	1-6,8, 18,21-24
	-/	

Int .tional Application No
PCT/JP 99/05516

		PCI/JP 99	/ 05510
	etion) DOCUMENTS CONSIDERED TO BE RELEVANT	· · · · · · · · · · · · · · · · · · ·	Industrial Na
Category °	Citation of document, with indication, where appropriate, of the relevant passages		Relevant to claim No.
A	EP 0 788 080 A (CANON KK) 6 August 1997 (1997-08-06) column 5, line 21 -column 6, line 32 column 18, line 15 -column 19, line 19; figures 3,8,9		1-29
A	EP 0 668 695 A (VICTOR COMPANY OF JAPAN) 23 August 1995 (1995-08-23) column 18, line 18 -column 21, line 46; figures 11-14		10-17, 21-23, 27-29
		•	
	*		·
	·	ŵ.	

. grnational application No. PCT/JP 99/05516

INTERNATIONAL SEARCH REPORT

Box I	Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)
This Inte	ernational Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:
1.	Claims Nos.: because they relate to subject matter not required to be searched by this Authority, namely:
2.	Claims Nos.: because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:
з. 🗌	Claims Nos.: because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).
Box II	Observations where unity of invention is lacking (Continuation of item 2 of first sheet)
This Inte	emational Searching Authority found multiple inventions in this international application, as follows:
	see additional sheet
1. X	As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2.	As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3.	As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4.	No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:
Remark	The additional search fees were accompanied by the applicant's protest. X No protest accompanied the payment of additional search fees.

Form PCT/ISA/210 (continuation of first sheet (1)) (July 1998)

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

- 1. Claims: 1-9 18-20 24-26
 - 1.1. Claims: 1-6,18,24 encrypted header storing encryption key of encrypted attached content
 - 1.2. Claims: 7-9,19,20,25,26 decryption of a superdistribution content (for copying or reproducing) according to payment of fees
- 2. Claims: 10-17, 21-23,27-29

encryption/decryption level is set according to the quality
of the data to be encrypted/decrypted

Please note that all inventions mentioned under item 1, although not necessarily linked by a common inventive concept, could be searched without effort justifying an additional fee.

Information on patent family members

In ational Application No PCT/JP 99/05516

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0672991 A	20-09-1995	US 5499298 A DE 69502526 D DE 69502526 T	12-03-1996 25-06-1998 21-01-1999
EP 0798892 A	01-10-1997	US 5673316 A JP 10040100 A KR 187876 B	30-09-1997 13-02-1998 01-06-1999
EP 0853315 A	15-07-1998	JP 10198558 A JP 10208388 A JP 10283271 A	31-07-1998 07-08-1998 23-10-1998
EP 0766471 A	02-04-1997	JP 8181966 A JP 8331543 A KR 205701 B US 6026164 A CA 2184291 A WO 9620563 A	12-07-1996 13-12-1996 01-07-1999 15-02-2000 04-07-1996 04-07-1996
EP 0561685 A	22-09-1993	JP 5257816 A US 5392351 A US 5555304 A US 5796824 A	08-10-1993 21-02-1995 10-09-1996 18-08-1998
EP 0788080 A	06-08-1997	JP 9212554 A JP 9212252 A	15-08-1997 15-08-1997
EP 0668695 A	23-08-1995	JP 2853727 B JP 7235131 A CN 1116803 A DE 69516326 D KR 201232 B	03-02-1999 05-09-1995 14-02-1996 25-05-2000 15-06-1999